

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		A-G Ratio (Final Recoded Value)	AFP Tumor Marker, Serum (ng-mL)	Albumin, Serum (g-dL)	Alkaline Phosphatase, Serum (IU-L)	ALT (SGPT) (IU-L)	Antinuclear Antibodies Direct (U-mL)	AST (SGOT) (IU-L)
1	Mean	1.63	3.30	4.54	174.56	16.89	27.32	22.35
	Median	1.60	2.00	4.50	139.00	15.00	23.00	21.00
	Std. Deviation	0.23	10.49	0.28	103.88	17.46	19.81	8.95
2	Mean	1.65	2.73	4.57	180.67	16.63	27.63	22.89
	Median	1.60	2.00	4.60	162.00	15.00	23.00	21.00
	Std. Deviation	0.24	7.98	0.27	97.45	9.82	29.73	7.78
3	Mean	1.62	2.33	4.58	192.98	17.54	30.44	23.60
	Median	1.60	2.00	4.60	188.50	15.00	26.00	22.00
	Std. Deviation	0.23	2.87	0.27	102.21	12.86	25.29	8.27
4	Mean	1.65	3.60	4.61	194.70	18.23	28.49	24.36
	Median	1.60	2.00	4.60	201.00	15.00	25.00	23.00
	Std. Deviation	0.24	25.53	0.28	103.39	16.79	18.25	10.47
5	Mean	1.66	2.55	4.60	195.57	16.77	29.31	24.29
	Median	1.60	2.00	4.60	198.00	15.00	25.00	22.00
	Std. Deviation	0.23	8.15	0.25	102.94	8.97	20.96	15.65
6	Mean	1.64	2.96	4.61	201.86	16.49	30.23	23.77
	Median	1.60	2.00	4.60	195.00	15.00	26.00	23.00
	Std. Deviation	0.24	10.39	0.27	135.74	7.04	36.06	6.75
7	Mean	1.66	2.55	4.61	201.64	16.78	30.82	24.46
	Median	1.70	2.00	4.60	197.50	15.00	26.00	24.00
	Std. Deviation	0.24	4.87	0.27	114.60	10.31	20.31	7.19
8	Mean	1.67	2.28	4.64	216.00	16.44	29.02	25.18
	Median	1.70	2.00	4.60	222.50	15.00	25.00	24.00
	Std. Deviation	0.21	1.49	0.25	95.45	6.24	16.53	8.44
9	Mean	1.68	2.19	4.64	207.16	16.62	31.38	25.01
	Median	1.70	2.00	4.60	216.00	15.00	25.00	24.00
	Std. Deviation	0.24	1.26	0.26	98.61	7.53	51.44	7.54
10	Mean	1.69	2.24	4.68	204.23	17.02	29.07	25.08
	Median	1.70	2.00	4.70	216.00	16.00	25.00	24.00
	Std. Deviation	0.23	1.21	0.24	97.56	6.24	18.55	7.13
Total	Mean	1.65	2.70	4.60	195.95	16.93	29.32	24.01
	Median	1.60	2.00	4.60	196.00	15.00	25.00	23.00
	Std. Deviation	0.23	10.13	0.27	106.88	11.19	27.76	9.14

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		Baso (Absolute) (x10e3-uL)	Basos (%)	Bilirubin, Direct (mg-dL)	Bilirubin, Total (mg-dL)	BUN (mg-dL)	BUN-Creatinine Ratio (Final Recoded Value)	Calcium, Serum (mg-dL)
1	Mean	0.02	0.23	0.10	0.35	11.77	18.76	10.03
	Median	0.00	0.00	0.09	0.30	11.00	17.00	10.00
	Std. Deviation	0.04	0.43	0.05	0.22	3.15	7.20	0.36
2	Mean	0.02	0.25	0.11	0.40	12.02	19.09	10.03
	Median	0.00	0.00	0.09	0.30	12.00	18.00	10.00
	Std. Deviation	0.04	0.43	0.06	0.31	3.26	7.34	0.36
3	Mean	0.02	0.23	0.10	0.35	12.05	19.62	10.04
	Median	0.00	0.00	0.09	0.30	12.00	18.00	10.10
	Std. Deviation	0.04	0.42	0.05	0.21	3.14	7.65	0.36
4	Mean	0.02	0.27	0.10	0.36	12.01	19.55	10.06
	Median	0.00	0.00	0.09	0.30	12.00	18.00	10.00
	Std. Deviation	0.04	0.44	0.05	0.24	3.12	7.44	0.35
5	Mean	0.02	0.27	0.10	0.36	11.94	19.73	10.05
	Median	0.00	0.00	0.09	0.30	12.00	18.00	10.10
	Std. Deviation	0.04	0.45	0.05	0.22	3.28	8.00	0.35
6	Mean	0.03	0.29	0.10	0.35	12.23	20.28	10.08
	Median	0.00	0.00	0.09	0.30	12.00	19.00	10.10
	Std. Deviation	0.04	0.45	0.05	0.24	3.02	7.66	0.37
7	Mean	0.03	0.30	0.10	0.36	12.44	20.47	10.09
	Median	0.00	0.00	0.09	0.30	12.00	19.00	10.10
	Std. Deviation	0.05	0.47	0.05	0.23	3.49	8.43	0.35
8	Mean	0.02	0.26	0.10	0.36	12.57	21.34	10.10
	Median	0.00	0.00	0.08	0.30	12.00	20.00	10.10
	Std. Deviation	0.04	0.44	0.05	0.25	3.36	8.36	0.34
9	Mean	0.03	0.29	0.10	0.38	12.26	20.79	10.10
	Median	0.00	0.00	0.09	0.30	12.00	19.00	10.10
	Std. Deviation	0.05	0.46	0.06	0.27	3.00	8.14	0.36
10	Mean	0.03	0.28	0.10	0.37	12.33	20.62	10.13
	Median	0.00	0.00	0.09	0.30	12.00	19.00	10.10
	Std. Deviation	0.04	0.46	0.05	0.25	3.11	7.84	0.33
Total	Mean	0.02	0.27	0.10	0.36	12.15	19.96	10.07
	Median	0.00	0.00	0.09	0.30	12.00	18.00	10.10
	Std. Deviation	0.04	0.45	0.05	0.25	3.20	7.82	0.35

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		Cancer Antigen (CA-125) (U-mL)	CEA (ng-mL)	Chloride, Serum (mmol-L)	Cholesterol, Total (mg-dL)	Cortisol (ug-dL)	C-Reactive Protein, Quant (mg-L)	Creatinine, Serum (mg-dL)
1	Mean	16.59	0.55	104.07	159.39	9.96	1.69	0.67
	Median	15.00	0.25	104.00	156.50	8.20	0.50	0.70
	Std. Deviation	8.41	0.51	1.89	29.53	5.85	4.80	0.15
2	Mean	16.84	0.55	103.94	163.12	10.35	1.46	0.67
	Median	15.10	0.25	104.00	160.00	8.60	0.50	0.70
	Std. Deviation	8.17	0.47	1.95	28.67	6.34	2.60	0.14
3	Mean	16.45	0.58	103.84	161.81	9.63	1.65	0.65
	Median	15.10	0.25	104.00	159.00	8.30	0.60	0.60
	Std. Deviation	8.95	0.50	1.95	28.13	5.47	3.49	0.14
4	Mean	16.47	0.55	103.87	163.93	9.40	1.63	0.65
	Median	14.60	0.25	104.00	161.00	8.00	0.40	0.70
	Std. Deviation	9.24	0.41	1.85	29.77	5.39	5.52	0.14
5	Mean	17.08	0.55	103.64	163.14	9.59	1.58	0.64
	Median	14.30	0.25	104.00	160.00	8.20	0.40	0.60
	Std. Deviation	19.67	0.45	1.93	28.97	5.88	7.10	0.15
6	Mean	16.91	0.58	103.58	163.95	8.81	1.90	0.65
	Median	15.00	0.25	103.00	161.00	7.60	0.50	0.60
	Std. Deviation	8.78	0.49	1.98	31.61	5.25	6.26	0.15
7	Mean	16.57	0.59	103.53	165.43	9.03	1.56	0.65
	Median	15.00	0.25	104.00	161.50	7.60	0.40	0.60
	Std. Deviation	7.71	0.55	1.91	31.08	6.11	4.82	0.15
8	Mean	15.59	0.57	103.46	161.99	8.61	1.50	0.63
	Median	14.65	0.25	103.50	160.00	7.40	0.40	0.60
	Std. Deviation	6.39	0.47	1.90	28.54	4.86	3.79	0.15
9	Mean	16.23	0.62	103.60	163.53	8.52	1.46	0.63
	Median	14.50	0.25	103.00	160.00	7.20	0.40	0.60
	Std. Deviation	8.03	0.65	1.94	27.61	5.16	4.15	0.16
10	Mean	16.95	0.61	103.20	167.17	8.94	1.41	0.64
	Median	15.00	0.25	103.00	166.00	7.40	0.40	0.60
	Std. Deviation	10.45	0.56	1.97	29.34	5.19	4.35	0.15
Total	Mean	16.58	0.57	103.69	163.23	9.33	1.59	0.65
	Median	14.90	0.25	104.00	160.00	7.90	0.50	0.60
	Std. Deviation	10.09	0.51	1.94	29.42	5.63	4.83	0.15

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		Eos (%)	Eos (Absolute) (x10e3-uL)	Estradiol (pg-mL)	Folates (Folic Acid), Serum (ng-mL)	Free Testosterone, Direct (pg-mL)	Free Thyroxine Index (Final Recoded Value)	GGT (IU-L)	Globulin, Total (g-dL)
1	Mean	2.33	0.18	201.29	21.03	0.55	2.25	12.07	2.83
	Median	2.00	0.10	32.00	18.60	0.40	2.20	11.00	2.80
	Std. Deviation	2.14	0.17	1414.40	9.68	0.52	0.41	7.41	0.33
2	Mean	2.42	0.18	114.37	21.89	0.56	2.26	12.12	2.82
	Median	2.00	0.10	24.00	19.30	0.40	2.20	11.00	2.80
	Std. Deviation	2.23	0.17	948.63	9.87	0.58	0.40	4.94	0.36
3	Mean	2.53	0.20	62.36	21.24	0.53	2.27	12.83	2.88
	Median	2.00	0.10	22.50	18.65	0.40	2.20	11.00	2.90
	Std. Deviation	3.58	0.38	307.18	9.32	0.54	0.41	6.19	0.34
4	Mean	2.46	0.19	98.60	22.21	0.52	2.28	13.20	2.84
	Median	2.00	0.10	24.00	19.30	0.30	2.30	11.00	2.80
	Std. Deviation	2.50	0.20	652.21	9.80	0.51	0.43	11.24	0.34
5	Mean	2.43	0.18	65.45	21.55	0.53	2.29	12.16	2.81
	Median	2.00	0.10	23.00	19.00	0.30	2.30	11.00	2.80
	Std. Deviation	2.07	0.15	555.40	9.63	0.89	0.40	5.52	0.34
6	Mean	2.46	0.19	119.86	21.01	0.55	2.33	12.33	2.86
	Median	2.00	0.10	23.00	18.60	0.30	2.30	11.00	2.80
	Std. Deviation	2.43	0.19	1161.05	9.60	0.60	0.40	5.05	0.36
7	Mean	2.44	0.19	70.11	20.45	0.52	2.35	12.22	2.83
	Median	2.00	0.10	22.00	18.10	0.30	2.30	11.00	2.80
	Std. Deviation	2.34	0.19	696.43	9.23	0.67	0.40	5.36	0.35
8	Mean	2.33	0.18	41.79	22.04	0.52	2.31	11.65	2.82
	Median	2.00	0.10	19.00	19.50	0.30	2.30	11.00	2.80
	Std. Deviation	1.98	0.17	141.67	9.45	0.82	0.38	4.52	0.35
9	Mean	2.57	0.20	41.47	22.52	0.43	2.31	11.68	2.81
	Median	2.00	0.10	20.00	19.00	0.20	2.30	11.00	2.80
	Std. Deviation	2.84	0.28	56.25	10.18	0.51	0.39	3.81	0.35
10	Mean	2.49	0.19	33.63	22.28	0.46	2.29	12.09	2.82
	Median	2.00	0.10	20.00	19.70	0.20	2.30	11.00	2.80
	Std. Deviation	2.24	0.18	35.54	9.72	0.64	0.38	4.43	0.35
Total	Mean	2.44	0.19	89.04	21.58	0.52	2.29	12.24	2.83
	Median	2.00	0.10	23.00	19.00	0.30	2.30	11.00	2.80
	Std. Deviation	2.48	0.22	784.26	9.66	0.63	0.40	6.19	0.35

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		Glucose, Serum (mg-dL)	HDL Cholesterol (mg-dL)	Hematocrit (%)	Hemoglobin (g-dL)	Immunoglobulin A, Qn, Serum (mg-dL)	Immunoglobulin E, Total (IU-mL)
1	Mean	89.53	50.15	39.44	13.39	150.51	92.80
	Median	88.00	49.00	39.40	13.40	142.00	17.00
	Std. Deviation	19.76	10.91	2.56	0.86	70.98	411.57
2	Mean	90.33	51.09	39.51	13.45	144.17	91.38
	Median	89.00	50.00	39.50	13.40	134.00	18.00
	Std. Deviation	18.79	11.76	2.51	0.82	69.23	262.68
3	Mean	90.84	49.78	39.51	13.45	152.67	130.18
	Median	89.50	49.00	39.40	13.40	144.00	20.00
	Std. Deviation	18.43	11.30	2.54	0.85	70.00	606.50
4	Mean	89.24	51.35	39.61	13.48	141.35	93.52
	Median	88.00	51.00	39.60	13.50	131.00	16.00
	Std. Deviation	11.33	11.83	2.61	0.86	70.57	360.84
5	Mean	90.77	50.93	39.79	13.51	139.02	87.74
	Median	89.00	50.00	39.70	13.50	132.00	18.00
	Std. Deviation	18.57	10.81	2.56	0.85	71.62	234.13
6	Mean	90.30	50.45	39.40	13.37	139.76	97.65
	Median	89.00	49.00	39.30	13.40	130.00	17.00
	Std. Deviation	13.47	11.62	2.57	0.84	65.01	445.35
7	Mean	90.05	51.76	39.52	13.43	137.60	109.71
	Median	88.00	50.00	39.50	13.40	128.00	19.00
	Std. Deviation	12.24	10.91	2.76	0.90	67.10	454.36
8	Mean	89.40	51.42	39.34	13.36	130.24	74.17
	Median	88.00	51.00	39.30	13.40	118.00	16.00
	Std. Deviation	13.96	11.12	2.69	0.90	68.65	184.85
9	Mean	89.51	50.04	39.47	13.43	132.21	122.69
	Median	89.00	49.00	39.40	13.40	125.00	18.00
	Std. Deviation	14.26	10.36	2.48	0.82	67.24	617.77
10	Mean	89.95	50.92	39.71	13.51	132.46	91.23
	Median	89.00	50.00	39.70	13.50	124.00	16.00
	Std. Deviation	13.12	11.14	2.42	0.79	65.59	231.98
Total	Mean	90.02	50.77	39.52	13.44	140.58	99.32
	Median	89.00	50.00	39.50	13.40	131.00	17.00
	Std. Deviation	15.87	11.21	2.57	0.85	68.99	410.24

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		Immunoglobulin G, Qn, Serum (mg-dL)	Immunoglobulin M, Qn, Serum (mg-dL)	Insulin, Fasting (uIU-mL)	Insulin-Like Growth Factor I (ng-mL)	Iron, Serum (ug- dL)	LDH (IU-L)	LDL Cholesterol (Calculated)
1	Mean	1047.55	126.98	22.20	338.49	84.00	194.11	86.13
	Median	1035.00	118.50	13.70	337.00	79.00	185.00	84.00
	Std. Deviation	227.28	55.67	29.86	145.68	36.84	49.16	25.30
2	Mean	1035.65	130.59	19.89	322.62	84.76	198.17	89.01
	Median	1012.00	121.00	12.30	310.00	82.00	190.00	87.00
	Std. Deviation	238.17	58.20	24.32	139.22	35.21	48.91	24.26
3	Mean	1064.68	127.56	20.76	301.68	81.29	202.36	89.09
	Median	1055.00	119.50	12.40	279.00	79.50	197.00	87.00
	Std. Deviation	227.86	56.70	31.56	141.31	31.96	50.86	24.01
4	Mean	1038.90	128.03	20.65	317.05	84.52	201.40	90.21
	Median	1023.50	115.50	10.90	308.00	81.00	198.00	88.00
	Std. Deviation	237.94	62.64	33.02	141.43	34.74	48.50	25.25
5	Mean	1007.31	134.20	19.29	304.51	84.88	204.33	89.38
	Median	1005.00	126.00	10.90	285.00	80.00	197.50	87.00
	Std. Deviation	215.10	66.81	29.09	146.99	37.80	58.40	25.92
6	Mean	1026.48	134.95	19.08	291.09	78.56	204.63	89.45
	Median	1007.00	124.50	12.00	281.00	76.00	199.00	87.00
	Std. Deviation	227.99	61.29	27.90	134.66	34.08	49.30	25.32
7	Mean	1006.03	129.68	19.23	302.31	82.49	205.83	90.91
	Median	999.00	124.00	11.40	295.00	77.50	202.50	89.00
	Std. Deviation	229.69	58.26	25.26	142.89	35.11	46.43	26.95
8	Mean	996.13	124.73	18.15	282.54	80.88	211.30	86.92
	Median	976.00	116.00	11.85	264.00	77.00	212.00	85.00
	Std. Deviation	214.67	55.96	20.41	140.40	33.75	49.08	25.99
9	Mean	998.59	127.57	17.16	296.63	84.41	206.58	90.18
	Median	992.00	116.00	11.60	269.00	81.00	205.00	87.00
	Std. Deviation	240.98	59.48	19.92	148.86	36.53	46.74	25.04
10	Mean	1001.52	126.33	19.96	281.67	81.22	207.77	91.26
	Median	987.00	116.00	12.30	266.00	81.00	210.00	90.00
	Std. Deviation	237.23	58.97	28.07	135.61	33.80	47.24	24.88
Total	Mean	1023.94	129.22	19.70	305.17	82.72	203.25	89.19
	Median	1010.00	120.00	12.00	292.00	79.00	199.00	87.00
	Std. Deviation	230.81	59.43	27.33	142.64	35.06	49.75	25.31

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		Lymphs (%)	Lymphs (Absolute) (x10e3-uL)	Magnesium, Serum (mg-dL)	MCH (pg)	MCHC (g-dL)	MCV (fL)	Monocytes (%)	Monocytes(Absolute) (x10e3-uL)
1	Mean	34.66	2.47	2.01	29.61	33.96	87.22	6.50	0.47
	Median	34.00	2.40	2.00	29.70	34.00	88.00	6.00	0.40
	Std. Deviation	9.56	0.77	0.14	1.65	0.62	4.44	2.01	0.16
2	Mean	34.45	2.47	2.03	29.69	34.06	87.22	6.52	0.47
	Median	34.00	2.40	2.00	29.70	34.10	87.00	6.00	0.50
	Std. Deviation	8.60	0.74	0.14	1.51	0.60	4.09	1.99	0.18
3	Mean	33.98	2.48	2.04	29.53	34.04	86.77	6.43	0.48
	Median	34.00	2.40	2.00	29.60	34.10	87.00	6.00	0.50
	Std. Deviation	8.95	0.77	0.15	1.58	0.64	4.19	1.96	0.18
4	Mean	34.65	2.51	2.04	29.57	34.04	86.93	6.41	0.47
	Median	34.00	2.40	2.00	29.60	34.10	87.00	6.00	0.40
	Std. Deviation	9.11	0.76	0.14	1.53	0.58	4.21	2.00	0.16
5	Mean	35.17	2.58	2.04	29.42	33.98	86.61	6.39	0.47
	Median	34.00	2.50	2.00	29.50	34.00	87.00	6.00	0.50
	Std. Deviation	9.19	0.81	0.14	1.68	0.67	4.42	2.09	0.18
6	Mean	34.62	2.59	2.04	29.34	33.95	86.46	6.48	0.49
	Median	34.00	2.50	2.00	29.40	34.00	86.00	6.00	0.50
	Std. Deviation	9.30	0.77	0.14	1.58	0.63	4.32	1.77	0.16
7	Mean	35.27	2.60	2.05	29.48	33.99	86.78	6.46	0.48
	Median	35.00	2.50	2.00	29.50	34.00	87.00	6.00	0.50
	Std. Deviation	8.76	0.76	0.14	1.54	0.60	4.31	1.97	0.16
8	Mean	35.52	2.63	2.08	29.32	33.96	86.36	6.50	0.48
	Median	35.00	2.50	2.10	29.40	34.00	86.00	6.00	0.50
	Std. Deviation	9.11	0.82	0.15	1.58	0.62	4.36	1.93	0.17
9	Mean	35.42	2.58	2.07	29.40	34.02	86.47	6.34	0.47
	Median	35.00	2.50	2.10	29.40	34.00	86.00	6.00	0.50
	Std. Deviation	9.49	0.83	0.15	1.48	0.58	4.09	1.84	0.16
10	Mean	35.53	2.66	2.08	29.41	34.02	86.47	6.26	0.47
	Median	35.00	2.60	2.10	29.40	34.00	86.50	6.00	0.50
	Std. Deviation	9.40	0.87	0.14	1.46	0.58	4.13	1.95	0.17
Total	Mean	34.88	2.55	2.05	29.49	34.00	86.75	6.43	0.47
	Median	34.00	2.40	2.00	29.50	34.00	87.00	6.00	0.50
	Std. Deviation	9.14	0.79	0.14	1.56	0.61	4.27	1.95	0.17

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		Neutrophils (%)	Neutrophils (Absolute) (x10e3-uL)	Phosphorus, Serum (mg-dL)	Platelets (x10e3-uL)	Potassium, Serum (mmol-L)	Prolactin (ng-mL)	Protein, Total, Serum (g-dL)
1	Mean	56.29	4.22	4.48	316.99	4.14	10.95	7.37
	Median	57.00	3.95	4.50	311.00	4.10	8.20	7.40
	Std. Deviation	10.29	1.62	0.70	75.46	0.29	13.83	0.40
2	Mean	56.36	4.24	4.55	314.45	4.09	10.58	7.39
	Median	57.00	3.90	4.50	309.00	4.10	8.50	7.40
	Std. Deviation	9.59	1.68	0.74	69.87	0.28	11.75	0.44
3	Mean	56.83	4.37	4.54	323.85	4.10	9.86	7.46
	Median	57.00	4.20	4.50	316.50	4.10	8.10	7.50
	Std. Deviation	9.89	1.73	0.71	74.48	0.26	8.56	0.41
4	Mean	56.21	4.28	4.60	317.09	4.12	9.78	7.45
	Median	56.00	4.00	4.60	310.50	4.10	7.80	7.40
	Std. Deviation	9.99	1.64	0.69	70.09	0.27	10.65	0.41
5	Mean	55.74	4.28	4.62	316.82	4.09	9.52	7.41
	Median	56.00	4.00	4.60	311.00	4.10	8.15	7.40
	Std. Deviation	10.00	1.72	0.80	74.00	0.30	6.27	0.41
6	Mean	56.15	4.45	4.58	321.65	4.11	9.94	7.47
	Median	57.00	4.20	4.60	315.00	4.10	7.70	7.50
	Std. Deviation	10.09	1.85	0.69	72.34	0.29	14.24	0.43
7	Mean	55.53	4.26	4.62	317.47	4.10	9.58	7.44
	Median	56.00	4.00	4.60	312.00	4.10	8.05	7.45
	Std. Deviation	9.66	1.63	0.73	69.76	0.31	10.19	0.43
8	Mean	55.39	4.26	4.73	321.27	4.10	8.80	7.46
	Median	55.00	4.00	4.70	313.00	4.10	7.60	7.40
	Std. Deviation	9.93	1.66	0.80	72.29	0.30	4.88	0.43
9	Mean	55.38	4.21	4.69	314.32	4.12	9.19	7.45
	Median	56.00	3.90	4.70	310.00	4.10	7.80	7.40
	Std. Deviation	10.28	1.64	0.77	70.30	0.31	5.80	0.42
10	Mean	55.45	4.35	4.76	322.56	4.12	8.96	7.49
	Median	56.00	4.00	4.80	319.00	4.10	7.30	7.50
	Std. Deviation	10.31	1.82	0.73	73.97	0.27	5.30	0.42
Total	Mean	55.97	4.29	4.61	318.54	4.11	9.78	7.44
	Median	56.00	4.00	4.60	312.00	4.10	8.00	7.40
	Std. Deviation	9.99	1.70	0.74	72.28	0.29	10.05	0.42

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		RDW (%)	Red Blood Cell Count (x10e6-uL)	Sodium, Serum (mmol-L)	T3 Uptake (%)	Testosterone, Serum (ng-dL)	Thyroxine (T4) (ng- dL)	Triglycerides (mg- dL)
1	Mean	13.61	4.53	140.68	29.56	33.13	7.71	116.59
	Median	13.40	4.55	141.00	30.00	31.00	7.50	96.00
	Std. Deviation	1.07	0.30	1.95	3.35	18.44	1.76	73.27
2	Mean	13.43	4.54	140.64	29.72	31.41	7.68	116.09
	Median	13.30	4.54	141.00	30.00	30.00	7.50	99.00
	Std. Deviation	0.81	0.31	1.87	3.18	18.28	1.61	70.72
3	Mean	13.36	4.56	140.63	29.57	30.46	7.77	116.20
	Median	13.25	4.57	141.00	30.00	28.00	7.60	93.00
	Std. Deviation	0.95	0.31	1.92	3.02	17.25	1.65	72.50
4	Mean	13.35	4.57	140.70	29.70	29.63	7.72	112.73
	Median	13.20	4.57	141.00	30.00	27.00	7.70	94.00
	Std. Deviation	0.80	0.32	1.87	2.99	17.51	1.60	68.50
5	Mean	13.35	4.60	140.61	29.82	30.59	7.76	116.04
	Median	13.20	4.57	141.00	30.00	29.00	7.70	99.50
	Std. Deviation	0.92	0.32	1.80	2.87	24.87	1.51	71.12
6	Mean	13.37	4.57	140.53	29.61	28.36	7.98	120.04
	Median	13.20	4.55	141.00	30.00	26.00	7.90	97.00
	Std. Deviation	0.83	0.32	1.99	3.25	17.68	1.65	74.93
7	Mean	13.25	4.56	140.45	29.76	28.29	7.97	113.83
	Median	13.10	4.54	140.00	30.00	27.00	7.80	97.50
	Std. Deviation	0.83	0.30	1.91	2.99	17.84	1.63	62.49
8	Mean	13.30	4.56	140.43	29.84	26.74	7.81	118.48
	Median	13.20	4.56	141.00	30.00	23.00	7.60	102.50
	Std. Deviation	0.80	0.31	1.88	2.55	22.37	1.42	64.85
9	Mean	13.28	4.57	140.62	29.73	26.21	7.83	117.60
	Median	13.20	4.56	141.00	30.00	24.00	7.70	98.00
	Std. Deviation	0.83	0.29	1.95	2.86	16.28	1.54	67.62
10	Mean	13.27	4.60	140.51	29.74	27.18	7.75	127.66
	Median	13.20	4.60	140.00	30.00	24.00	7.60	105.00
	Std. Deviation	0.70	0.30	1.98	2.69	16.58	1.44	87.75
Total	Mean	13.36	4.56	140.58	29.70	29.38	7.80	117.33
	Median	13.20	4.56	141.00	30.00	27.00	7.70	97.00
	Std. Deviation	0.87	0.31	1.91	3.01	18.95	1.60	71.51

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Girls (Female, <18YO)

Population Decile Group -- C8 (PFOA)		TSH (uIU-mL)	Uric Acid, Serum (mg-dL)	Vitamin B12 (pg- mL)	VLDL Cholesterol (Calculated) (mg- dL)	White Blood Cell Count (x10e3-uL)
1	Mean	2.00	4.38	598.49	22.80	7.34
	Median	1.66	4.30	554.50	19.00	7.10
	Std. Deviation	1.72	1.01	261.44	12.71	1.92
2	Mean	2.15	4.44	586.09	22.60	7.38
	Median	1.74	4.30	537.50	20.00	7.10
	Std. Deviation	3.82	1.06	228.10	12.14	2.06
3	Mean	2.06	4.40	608.06	22.71	7.55
	Median	1.83	4.30	564.00	19.00	7.30
	Std. Deviation	1.14	1.07	248.84	13.22	2.15
4	Mean	2.02	4.38	615.99	22.19	7.45
	Median	1.75	4.20	559.00	19.00	7.10
	Std. Deviation	1.18	1.05	266.19	12.54	1.98
5	Mean	2.01	4.41	614.08	22.65	7.53
	Median	1.75	4.30	558.50	20.00	7.20
	Std. Deviation	1.35	1.03	231.07	12.99	2.09
6	Mean	2.06	4.37	615.56	23.03	7.74
	Median	1.70	4.30	568.00	19.00	7.50
	Std. Deviation	1.75	1.03	264.31	12.68	2.16
7	Mean	2.08	4.41	588.20	22.77	7.54
	Median	1.81	4.40	545.50	19.50	7.30
	Std. Deviation	1.37	1.07	219.78	12.52	1.97
8	Mean	2.12	4.31	606.64	23.53	7.56
	Median	1.78	4.20	555.00	20.00	7.30
	Std. Deviation	1.83	1.05	232.95	12.54	2.06
9	Mean	2.30	4.30	618.75	23.17	7.46
	Median	1.80	4.20	567.00	19.00	7.30
	Std. Deviation	3.85	1.03	238.30	12.49	2.01
10	Mean	2.67	4.34	610.57	24.29	7.69
	Median	1.84	4.20	570.00	21.00	7.40
	Std. Deviation	8.30	1.04	245.48	13.39	2.20
Total	Mean	2.13	4.38	605.48	22.94	7.52
	Median	1.76	4.30	557.00	19.00	7.30
	Std. Deviation	3.21	1.04	244.32	12.71	2.06

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		A-G Ratio (Final Recoded Value)	AFP Tumor Marker, Serum (ng-mL)	Albumin, Serum (g-dL)	Alkaline Phosphatase, Serum (IU-L)	ALT (SGPT) (IU-L)	Antinuclear Antibodies Direct (U-mL)	AST (SGOT) (IU-L)
1	Mean	1.89	2.06	4.59	247.07	20.27	25.17	26.76
	Median	1.70	2.00	4.60	247.00	17.00	22.00	26.00
	Std. Deviation	3.62	0.96	0.29	84.46	13.05	12.76	8.38
2	Mean	1.71	2.06	4.62	245.82	20.79	27.98	26.87
	Median	1.70	2.00	4.60	241.00	18.00	23.00	25.00
	Std. Deviation	0.23	1.12	0.26	120.76	17.43	40.84	12.86
3	Mean	1.68	2.08	4.62	241.96	19.66	28.52	26.25
	Median	1.70	2.00	4.60	233.00	17.00	23.00	25.00
	Std. Deviation	0.23	1.29	0.25	121.39	10.50	25.44	8.64
4	Mean	1.72	2.14	4.66	235.14	20.70	26.39	27.57
	Median	1.70	2.00	4.70	227.00	17.00	23.00	27.00
	Std. Deviation	0.23	1.25	0.25	104.31	13.41	16.48	11.97
5	Mean	1.71	2.09	4.63	243.59	19.81	29.14	26.37
	Median	1.70	2.00	4.60	239.00	17.00	25.00	25.00
	Std. Deviation	0.23	1.23	0.25	99.32	11.21	29.75	7.04
6	Mean	1.70	2.06	4.63	239.76	20.13	31.24	26.31
	Median	1.70	2.00	4.60	237.00	17.00	24.00	25.00
	Std. Deviation	0.24	1.00	0.25	93.03	11.52	58.96	7.32
7	Mean	1.71	2.05	4.67	250.03	19.59	29.84	26.89
	Median	1.70	2.00	4.70	244.00	17.00	25.00	26.00
	Std. Deviation	0.22	0.91	0.24	142.46	10.40	28.25	7.27
8	Mean	1.72	2.14	4.66	246.07	19.47	28.91	26.95
	Median	1.70	2.00	4.70	242.50	17.00	26.00	26.00
	Std. Deviation	0.23	2.22	0.25	93.88	10.42	15.23	7.73
9	Mean	1.71	2.11	4.66	246.18	19.44	27.50	26.89
	Median	1.70	2.00	4.70	238.50	17.00	24.00	26.00
	Std. Deviation	0.23	0.91	0.24	94.08	10.47	21.65	6.78
10	Mean	1.72	2.14	4.68	244.01	20.01	28.00	27.10
	Median	1.70	2.00	4.70	241.00	17.00	24.00	26.00
	Std. Deviation	0.23	1.21	0.25	90.63	11.22	15.70	7.24
Total	Mean	1.72	2.09	4.64	244.04	19.98	28.45	26.79
	Median	1.70	2.00	4.60	239.00	17.00	24.00	26.00
	Std. Deviation	0.95	1.29	0.25	106.91	12.16	30.71	8.78

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Baso (Absolute) (x10e3-uL)	Basos (%)	Bilirubin, Direct (mg-dL)	Bilirubin, Total (mg-dL)	BUN (mg-dL)	BUN-Creatinine Ratio (Final Recoded Value)	Calcium, Serum (mg-dL)
1	Mean	0.02	0.22	0.11	0.40	13.01	20.26	10.05
	Median	0.00	0.00	0.10	0.30	13.00	19.00	10.10
	Std. Deviation	0.04	0.41	0.06	0.26	3.26	8.46	0.34
2	Mean	0.02	0.27	0.12	0.43	13.12	19.63	10.05
	Median	0.00	0.00	0.10	0.30	13.00	18.00	10.00
	Std. Deviation	0.04	0.44	0.06	0.32	3.45	7.75	0.34
3	Mean	0.02	0.27	0.11	0.41	13.39	20.04	10.06
	Median	0.00	0.00	0.10	0.30	13.00	19.00	10.10
	Std. Deviation	0.04	0.44	0.06	0.29	4.46	7.46	0.33
4	Mean	0.02	0.26	0.11	0.41	13.36	20.72	10.08
	Median	0.00	0.00	0.09	0.30	13.00	19.00	10.10
	Std. Deviation	0.04	0.44	0.06	0.31	3.41	8.32	0.33
5	Mean	0.03	0.30	0.11	0.41	13.35	20.73	10.07
	Median	0.00	0.00	0.09	0.30	13.00	19.50	10.10
	Std. Deviation	0.04	0.46	0.06	0.31	3.46	8.33	0.34
6	Mean	0.03	0.36	0.11	0.39	13.40	20.60	10.07
	Median	0.00	0.00	0.09	0.30	13.00	19.00	10.10
	Std. Deviation	0.05	0.49	0.06	0.28	3.33	8.05	0.33
7	Mean	0.03	0.34	0.11	0.40	13.56	21.16	10.08
	Median	0.00	0.00	0.09	0.30	13.00	20.00	10.10
	Std. Deviation	0.05	0.49	0.06	0.30	3.42	8.83	0.33
8	Mean	0.03	0.34	0.11	0.41	13.39	21.10	10.08
	Median	0.00	0.00	0.09	0.30	13.00	20.00	10.10
	Std. Deviation	0.05	0.48	0.06	0.32	3.48	8.63	0.34
9	Mean	0.03	0.36	0.11	0.39	13.32	21.09	10.10
	Median	0.00	0.00	0.09	0.30	13.00	20.00	10.10
	Std. Deviation	0.05	0.49	0.06	0.26	3.30	8.47	0.32
10	Mean	0.03	0.32	0.10	0.39	13.39	21.05	10.11
	Median	0.00	0.00	0.09	0.30	13.00	19.00	10.10
	Std. Deviation	0.05	0.48	0.06	0.31	3.47	8.79	0.34
Total	Mean	0.03	0.31	0.11	0.41	13.34	20.65	10.08
	Median	0.00	0.00	0.09	0.30	13.00	19.00	10.10
	Std. Deviation	0.05	0.47	0.06	0.30	3.53	8.33	0.33

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Cancer Antigen (CA-125) (U-mL)	CEA (ng-mL)	Chloride, Serum (mmol-L)	Cholesterol, Total (mg-dL)	Cortisol (ug-dL)	C-Reactive Protein, Quant (mg-L)	Creatinine, Serum (mg-dL)
1	Mean	13.62	0.67	103.38	153.53	9.75	1.62	0.70
	Median	12.75	0.50	103.00	152.00	9.00	0.40	0.70
	Std. Deviation	6.25	0.54	2.01	30.42	4.33	4.18	0.20
2	Mean	13.75	0.70	103.34	156.25	10.43	1.38	0.72
	Median	12.35	0.50	103.00	154.00	9.45	0.50	0.70
	Std. Deviation	6.16	0.59	2.00	28.34	4.78	3.88	0.19
3	Mean	13.57	0.71	103.02	157.12	9.76	2.06	0.72
	Median	12.30	0.50	103.00	154.00	8.90	0.50	0.70
	Std. Deviation	6.63	0.62	1.94	29.09	4.72	8.51	0.26
4	Mean	13.89	0.71	103.14	157.85	9.86	1.20	0.71
	Median	12.70	0.50	103.00	157.00	9.20	0.40	0.70
	Std. Deviation	6.19	0.63	1.96	28.74	4.92	2.98	0.21
5	Mean	13.86	0.74	102.99	156.78	9.12	1.50	0.70
	Median	12.50	0.50	103.00	154.00	8.40	0.40	0.70
	Std. Deviation	7.04	0.67	2.02	27.86	4.47	4.25	0.20
6	Mean	14.46	0.73	103.08	159.02	9.06	1.43	0.71
	Median	13.10	0.60	103.00	156.00	8.40	0.40	0.70
	Std. Deviation	7.35	0.68	1.93	29.69	4.35	3.54	0.20
7	Mean	14.47	0.70	102.96	160.08	9.03	1.15	0.70
	Median	13.40	0.50	103.00	158.00	8.00	0.40	0.70
	Std. Deviation	6.79	0.59	1.91	28.16	4.66	4.18	0.20
8	Mean	13.99	0.70	102.91	160.24	9.13	1.32	0.69
	Median	13.10	0.50	103.00	157.00	8.20	0.40	0.70
	Std. Deviation	6.02	0.60	1.84	28.27	4.71	6.64	0.19
9	Mean	13.81	0.70	102.90	159.60	9.18	1.31	0.69
	Median	12.60	0.50	103.00	156.50	8.30	0.40	0.60
	Std. Deviation	6.23	0.66	1.83	29.79	4.63	3.55	0.20
10	Mean	14.24	0.67	102.84	160.27	8.82	1.52	0.69
	Median	13.20	0.50	103.00	159.00	8.00	0.40	0.70
	Std. Deviation	6.24	0.59	2.03	30.06	4.55	4.85	0.19
Total	Mean	13.99	0.70	103.04	158.30	9.40	1.44	0.70
	Median	12.80	0.50	103.00	156.00	8.50	0.40	0.70
	Std. Deviation	6.51	0.62	1.95	29.04	4.65	4.97	0.21

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Eos (%)	Eos (Absolute) (x10e3-uL)	Estradiol (pg-mL)	Folates (Folic Acid), Serum (ng-mL)	Free Testosterone, Direct (pg-mL)	Free Thyroxine Index (Final Recoded Value)	GGT (IU-L)	Globulin, Total (g-dL)
1	Mean	2.93	0.20	16.86	22.11	4.63	2.18	14.82	2.73
	Median	2.00	0.20	16.00	19.25	3.00	2.20	13.00	2.70
	Std. Deviation	2.46	0.17	9.19	9.65	4.88	0.39	7.80	0.36
2	Mean	2.77	0.19	16.26	21.67	4.78	2.17	15.72	2.74
	Median	2.00	0.10	16.00	19.20	1.95	2.20	13.00	2.70
	Std. Deviation	2.34	0.17	9.24	9.52	5.34	0.39	14.31	0.33
3	Mean	2.81	0.20	15.31	21.91	4.53	2.19	15.34	2.79
	Median	2.00	0.20	15.00	19.00	1.10	2.20	13.00	2.80
	Std. Deviation	2.40	0.18	8.84	9.81	5.45	0.41	9.61	0.33
4	Mean	2.80	0.21	15.08	21.62	4.57	2.21	15.50	2.74
	Median	2.00	0.10	14.00	18.85	1.00	2.20	13.00	2.70
	Std. Deviation	2.71	0.21	9.01	9.44	5.70	0.41	8.69	0.32
5	Mean	2.78	0.20	15.37	21.33	4.47	2.20	15.31	2.75
	Median	2.00	0.20	14.00	18.45	0.90	2.20	13.00	2.70
	Std. Deviation	2.44	0.18	8.71	9.48	5.63	0.39	8.93	0.33
6	Mean	2.91	0.21	16.10	20.96	4.67	2.21	14.92	2.77
	Median	2.00	0.20	15.00	18.60	1.30	2.20	13.00	2.80
	Std. Deviation	2.75	0.22	8.70	9.13	5.80	0.38	6.15	0.34
7	Mean	2.82	0.20	15.12	21.36	4.19	2.24	14.70	2.76
	Median	2.00	0.20	14.00	18.50	0.60	2.20	13.00	2.70
	Std. Deviation	2.36	0.18	8.81	9.17	5.66	0.39	8.04	0.33
8	Mean	2.83	0.21	14.46	21.52	4.01	2.27	14.62	2.76
	Median	2.00	0.20	13.00	19.15	0.60	2.30	13.00	2.70
	Std. Deviation	2.42	0.19	8.57	9.38	5.30	0.39	6.93	0.33
9	Mean	2.79	0.21	15.38	22.58	3.99	2.26	14.45	2.76
	Median	2.00	0.10	15.00	19.10	0.60	2.30	13.00	2.70
	Std. Deviation	2.35	0.19	8.08	9.58	5.48	0.45	7.01	0.33
10	Mean	2.75	0.21	14.99	22.74	3.78	2.22	14.69	2.76
	Median	2.00	0.10	14.00	19.60	0.40	2.20	13.00	2.70
	Std. Deviation	2.38	0.20	8.52	9.65	5.16	0.39	8.08	0.33
Total	Mean	2.82	0.20	15.45	21.76	4.35	2.22	15.01	2.76
	Median	2.00	0.10	15.00	19.00	0.85	2.20	13.00	2.70
	Std. Deviation	2.46	0.19	8.78	9.48	5.46	0.40	8.92	0.33

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Glucose, Serum (mg-dL)	HDL Cholesterol (mg-dL)	Hematocrit (%)	Hemoglobin (g-dL)	Immunoglobulin A, Qn, Serum (mg-dL)	Immunoglobulin E, Total (IU-mL)	Immunoglobulin G, Qn, Serum (mg-dL)
1	Mean	93.34	46.64	41.31	14.08	146.85	95.91	984.05
	Median	92.00	45.00	40.90	14.00	135.00	22.00	987.00
	Std. Deviation	19.73	11.21	4.03	1.33	76.95	216.29	225.97
2	Mean	93.30	47.95	41.59	14.19	145.77	110.45	1009.00
	Median	92.00	47.00	41.30	14.10	136.00	29.00	992.00
	Std. Deviation	14.36	11.72	3.66	1.20	70.20	252.44	224.70
3	Mean	92.91	47.99	41.56	14.18	152.46	121.66	1023.22
	Median	91.00	46.00	41.20	14.10	140.00	28.00	1024.00
	Std. Deviation	15.84	11.82	3.81	1.26	71.94	270.40	211.05
4	Mean	92.72	47.81	41.41	14.12	139.04	105.02	978.64
	Median	92.00	47.00	41.10	14.00	130.00	24.00	966.00
	Std. Deviation	13.57	10.93	3.89	1.26	68.05	366.52	214.49
5	Mean	92.37	47.83	41.36	14.09	138.74	154.93	970.77
	Median	91.00	47.00	40.80	13.90	126.00	29.50	956.50
	Std. Deviation	12.95	10.91	4.03	1.33	69.51	560.71	221.08
6	Mean	92.61	47.80	41.59	14.16	140.44	140.43	988.82
	Median	91.00	47.00	41.10	14.00	129.00	28.00	977.50
	Std. Deviation	13.13	11.11	3.90	1.29	71.72	304.29	225.14
7	Mean	93.12	48.46	41.27	14.06	136.24	148.13	974.63
	Median	91.00	47.00	40.90	13.90	127.00	26.00	955.00
	Std. Deviation	17.95	11.81	3.77	1.25	66.10	589.17	225.79
8	Mean	92.69	47.82	41.36	14.08	133.56	121.16	973.48
	Median	92.00	47.00	40.90	13.90	125.50	28.00	965.00
	Std. Deviation	12.56	11.00	3.76	1.24	61.91	249.54	223.89
9	Mean	93.44	48.63	41.38	14.08	135.67	125.82	974.31
	Median	91.00	48.00	41.00	13.90	127.00	26.00	949.00
	Std. Deviation	16.12	11.15	3.68	1.22	68.70	281.14	223.71
10	Mean	92.57	48.03	41.43	14.13	137.82	125.05	981.68
	Median	91.00	47.00	41.00	14.00	131.00	27.00	974.00
	Std. Deviation	20.94	10.80	3.69	1.21	66.13	261.12	216.57
Total	Mean	92.89	47.94	41.43	14.12	140.40	125.92	986.23
	Median	92.00	47.00	41.00	14.00	131.00	27.00	975.00
	Std. Deviation	15.85	11.27	3.81	1.25	68.99	359.11	221.78

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Immunoglobulin M, Qn, Serum (mg- dL)	Insulin, Fasting (uIU-mL)	Insulin-Like Growth Factor I (ng-mL)	Iron, Serum (ug- dL)	LDH (IU-L)	LDL Cholesterol (Calculated)	Lymphs (%)
1	Mean	92.30	20.00	281.52	85.98	214.38	81.95	36.01
	Median	83.00	12.40	274.00	82.00	214.00	79.00	36.00
	Std. Deviation	47.65	31.24	134.19	37.97	48.65	26.18	9.10
2	Mean	92.88	21.44	284.54	90.04	213.08	84.18	35.08
	Median	88.00	13.00	263.00	87.00	212.00	83.00	35.00
	Std. Deviation	42.96	34.52	138.34	35.19	47.88	24.65	8.44
3	Mean	96.65	19.21	264.74	86.92	211.85	84.41	34.67
	Median	89.00	11.00	243.00	84.00	214.00	82.50	34.00
	Std. Deviation	44.44	26.40	129.15	33.31	47.20	24.43	8.43
4	Mean	94.63	19.07	258.63	87.16	217.14	86.19	35.25
	Median	86.00	11.40	244.00	82.00	219.00	85.00	36.00
	Std. Deviation	48.33	36.53	138.16	33.44	48.08	25.78	8.90
5	Mean	93.26	17.90	265.53	86.30	212.68	84.95	35.31
	Median	85.00	10.75	257.00	82.50	212.00	84.00	35.00
	Std. Deviation	45.10	24.25	133.83	37.18	45.26	23.97	8.80
6	Mean	95.48	20.09	265.91	84.90	214.62	86.55	35.36
	Median	86.00	11.70	254.00	82.00	214.00	84.00	35.00
	Std. Deviation	46.37	36.30	137.62	33.79	44.52	25.69	8.77
7	Mean	96.28	17.83	252.00	84.36	217.68	86.13	36.06
	Median	88.00	10.40	230.00	81.00	218.50	85.00	36.00
	Std. Deviation	47.26	24.25	133.92	33.25	46.11	23.82	8.37
8	Mean	96.76	18.51	249.59	85.61	216.97	86.59	35.75
	Median	89.00	12.20	231.50	82.00	216.50	85.00	35.00
	Std. Deviation	46.35	23.28	125.77	32.68	42.86	23.57	8.48
9	Mean	95.33	18.69	251.26	86.54	219.78	86.47	35.35
	Median	88.00	10.50	223.50	83.00	219.00	83.00	35.00
	Std. Deviation	44.93	31.20	132.97	34.76	43.12	26.33	9.04
10	Mean	98.84	17.06	247.58	84.39	219.77	86.27	36.21
	Median	89.00	11.15	231.50	81.00	220.00	85.00	35.00
	Std. Deviation	48.07	20.91	125.17	34.31	43.86	25.04	9.14
Total	Mean	95.41	18.97	261.49	86.21	215.86	85.50	35.50
	Median	87.00	11.40	244.00	83.00	216.00	84.00	35.00
	Std. Deviation	46.11	29.23	133.29	34.46	45.69	24.89	8.73

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Lymphs (Absolute) (x10e3-uL)	Magnesium, Serum (mg-dL)	MCH (pg)	MCHC (g-dL)	MCV (fL)	Monocytes (%)	Monocytes(Absolute) (x10e3-uL)	Neutrophils (%)
1	Mean	2.48	2.05	29.24	34.09	85.83	7.16	0.49	53.68
	Median	2.30	2.00	29.20	34.10	86.00	7.00	0.50	54.00
	Std. Deviation	0.88	0.14	1.58	0.62	4.39	2.17	0.17	9.88
2	Mean	2.36	2.05	29.41	34.14	86.16	7.28	0.49	54.60
	Median	2.30	2.10	29.50	34.10	86.00	7.00	0.50	55.00
	Std. Deviation	0.69	0.14	1.45	0.57	4.11	2.12	0.17	9.27
3	Mean	2.44	2.06	29.40	34.14	86.14	7.13	0.50	55.12
	Median	2.30	2.10	29.40	34.20	86.00	7.00	0.50	56.00
	Std. Deviation	0.72	0.14	1.46	0.60	4.05	2.14	0.18	9.50
4	Mean	2.50	2.06	29.36	34.13	86.07	6.92	0.49	54.77
	Median	2.40	2.10	29.40	34.10	86.00	7.00	0.50	55.00
	Std. Deviation	0.75	0.14	1.44	0.63	4.03	2.02	0.16	9.98
5	Mean	2.47	2.07	29.19	34.08	85.71	7.14	0.50	54.47
	Median	2.30	2.10	29.30	34.10	86.00	7.00	0.50	55.00
	Std. Deviation	0.72	0.13	1.57	0.59	4.25	1.91	0.16	9.91
6	Mean	2.50	2.08	29.29	34.05	86.08	7.32	0.52	54.05
	Median	2.40	2.10	29.30	34.00	86.00	7.00	0.50	54.00
	Std. Deviation	0.74	0.13	1.36	0.60	3.77	2.22	0.18	9.95
7	Mean	2.55	2.09	29.23	34.07	85.86	7.16	0.51	53.62
	Median	2.50	2.10	29.20	34.00	86.00	7.00	0.50	54.00
	Std. Deviation	0.76	0.14	1.45	0.59	4.05	1.98	0.18	9.41
8	Mean	2.52	2.08	29.19	34.06	85.74	7.12	0.50	53.95
	Median	2.40	2.10	29.10	34.10	86.00	7.00	0.50	54.00
	Std. Deviation	0.77	0.13	1.49	0.57	4.20	2.06	0.17	9.33
9	Mean	2.50	2.09	29.11	34.05	85.53	7.19	0.51	54.32
	Median	2.40	2.10	29.20	34.00	86.00	7.00	0.50	54.00
	Std. Deviation	0.75	0.14	1.52	0.59	4.15	1.99	0.17	9.85
10	Mean	2.58	2.10	29.21	34.12	85.61	7.10	0.51	53.63
	Median	2.50	2.10	29.20	34.10	85.00	7.00	0.50	54.00
	Std. Deviation	0.76	0.13	1.43	0.58	3.83	2.09	0.18	10.25
Total	Mean	2.49	2.08	29.26	34.09	85.88	7.16	0.50	54.22
	Median	2.40	2.10	29.30	34.10	86.00	7.00	0.50	54.00
	Std. Deviation	0.75	0.14	1.47	0.59	4.07	2.07	0.17	9.72

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Neutrophils (Absolute) (x10e3- uL)	Phosphorus, Serum (mg-dL)	Platelets (x10e3- uL)	Potassium, Serum (mmol-L)	Prolactin (ng-mL)	Prostate-Specific Antigen, Serum (ng-mL)	Protein, Total, Serum (g-dL)
1	Mean	3.83	4.76	316.63	4.16	7.22	0.23	7.32
	Median	3.50	4.80	305.00	4.10	6.50	0.05	7.30
	Std. Deviation	1.59	0.72	78.15	0.27	3.78	0.27	0.41
2	Mean	3.84	4.67	306.76	4.14	7.06	0.24	7.36
	Median	3.60	4.70	302.00	4.10	6.30	0.05	7.40
	Std. Deviation	1.49	0.73	74.47	0.29	3.71	0.41	0.41
3	Mean	4.10	4.77	308.78	4.13	7.33	0.21	7.41
	Median	3.70	4.80	303.00	4.10	6.50	0.05	7.40
	Std. Deviation	1.78	0.69	67.96	0.30	3.85	0.29	0.38
4	Mean	4.06	4.74	312.72	4.12	7.43	0.19	7.40
	Median	3.80	4.70	307.00	4.10	6.40	0.05	7.40
	Std. Deviation	1.57	0.69	73.59	0.26	4.42	0.22	0.40
5	Mean	4.01	4.83	303.95	4.14	7.44	0.19	7.38
	Median	3.70	4.90	293.00	4.10	6.50	0.05	7.40
	Std. Deviation	1.62	0.70	71.45	0.29	4.46	0.25	0.40
6	Mean	4.04	4.75	311.98	4.15	7.36	0.20	7.40
	Median	3.70	4.80	302.50	4.10	6.40	0.05	7.40
	Std. Deviation	1.74	0.70	81.29	0.29	4.27	0.24	0.41
7	Mean	3.93	4.79	305.98	4.14	7.41	0.19	7.43
	Median	3.70	4.80	300.00	4.10	6.40	0.05	7.40
	Std. Deviation	1.48	0.69	68.19	0.31	4.19	0.25	0.41
8	Mean	3.92	4.73	310.18	4.15	7.42	0.18	7.42
	Median	3.70	4.80	302.00	4.10	6.60	0.05	7.40
	Std. Deviation	1.42	0.67	73.17	0.30	3.59	0.23	0.39
9	Mean	3.99	4.84	318.08	4.16	7.39	0.18	7.42
	Median	3.70	4.90	310.00	4.10	6.40	0.05	7.40
	Std. Deviation	1.49	0.72	72.23	0.29	4.25	0.26	0.41
10	Mean	4.04	4.86	314.03	4.17	7.15	0.18	7.44
	Median	3.70	4.90	305.00	4.20	6.40	0.05	7.40
	Std. Deviation	1.76	0.71	72.56	0.32	3.53	0.35	0.40
Total	Mean	3.98	4.77	310.61	4.15	7.32	0.20	7.40
	Median	3.70	4.80	303.00	4.10	6.50	0.05	7.40
	Std. Deviation	1.60	0.70	73.37	0.29	4.00	0.29	0.40

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		RDW (%)	Red Blood Cell Count (x10e6-uL)	Sodium, Serum (mmol-L)	T3 Uptake (%)	Testosterone, Serum (ng-dL)	Thyroxine (T4) (ng-dL)	Triglycerides (mg-dL)	TSH (uIU-mL)
1	Mean	13.74	4.82	140.65	30.97	185.28	7.10	127.09	2.16
	Median	13.50	4.79	141.00	31.00	149.00	7.10	103.00	1.77
	Std. Deviation	0.91	0.42	2.11	2.61	181.70	1.36	81.39	1.57
2	Mean	13.65	4.83	140.65	30.98	184.15	7.03	122.03	2.10
	Median	13.60	4.82	141.00	31.00	98.50	7.00	100.00	1.88
	Std. Deviation	0.69	0.37	1.94	2.69	195.71	1.27	77.34	1.10
3	Mean	13.57	4.83	140.56	30.98	165.46	7.14	123.78	2.11
	Median	13.50	4.83	140.00	31.00	55.00	7.20	104.00	1.84
	Std. Deviation	0.75	0.38	2.03	3.70	190.29	1.45	78.49	1.16
4	Mean	13.58	4.81	140.56	30.74	162.10	7.27	120.36	2.21
	Median	13.40	4.80	141.00	30.00	50.00	7.20	103.50	1.93
	Std. Deviation	0.78	0.40	2.03	3.51	185.85	1.45	68.57	1.51
5	Mean	13.57	4.83	140.56	30.92	165.94	7.20	121.66	2.07
	Median	13.50	4.82	140.00	31.00	46.00	7.10	101.00	1.84
	Std. Deviation	0.76	0.40	2.04	3.33	194.76	1.39	74.56	1.03
6	Mean	13.56	4.84	140.57	30.90	164.69	7.18	124.45	2.09
	Median	13.50	4.83	141.00	31.00	64.00	7.00	102.00	1.88
	Std. Deviation	0.70	0.39	1.94	2.65	185.90	1.33	84.27	1.09
7	Mean	13.54	4.81	140.53	30.84	151.77	7.31	128.21	2.12
	Median	13.50	4.80	140.00	31.00	33.00	7.25	105.00	1.87
	Std. Deviation	0.73	0.38	1.99	2.67	188.46	1.36	80.49	1.19
8	Mean	13.48	4.83	140.57	30.95	145.70	7.40	129.33	2.15
	Median	13.40	4.80	141.00	31.00	35.00	7.40	105.00	1.94
	Std. Deviation	0.68	0.39	1.97	2.63	180.34	1.36	79.74	1.11
9	Mean	13.57	4.84	140.49	30.82	146.61	7.38	123.78	2.14
	Median	13.50	4.81	140.00	30.00	28.00	7.30	104.00	1.94
	Std. Deviation	0.82	0.37	2.05	3.39	189.87	1.43	80.63	1.22
10	Mean	13.43	4.84	140.53	30.67	140.86	7.28	133.16	2.12
	Median	13.30	4.81	141.00	31.00	29.00	7.20	110.00	1.89
	Std. Deviation	0.73	0.39	2.23	2.73	173.15	1.41	93.33	1.29
Total	Mean	13.56	4.83	140.57	30.88	160.30	7.23	125.56	2.13
	Median	13.50	4.81	141.00	31.00	45.50	7.20	104.00	1.89
	Std. Deviation	0.75	0.39	2.03	3.00	187.09	1.38	80.43	1.22

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Boys (Male, <18YO)

Population Decile Group -- C8 (PFOA)		Uric Acid, Serum (mg-dL)	Vitamin B12 (pg-mL)	VLDL Cholesterol (Calculated) (mg-dL)	White Blood Cell Count (x10e3-uL)
1	Mean	5.07	597.54	24.31	7.0161
	Median	5.00	551.50	20.00	6.6000
	Std. Deviation	1.51	224.18	13.98	1.99185
2	Mean	5.19	584.45	23.62	6.9053
	Median	5.00	550.50	20.00	6.6000
	Std. Deviation	1.54	216.17	13.64	1.87796
3	Mean	5.12	589.68	24.03	7.2665
	Median	5.00	557.00	21.00	6.9000
	Std. Deviation	1.56	209.10	13.62	2.10850
4	Mean	5.07	616.99	23.60	7.2686
	Median	4.90	570.00	21.00	7.0000
	Std. Deviation	1.56	255.39	12.37	1.93914
5	Mean	5.03	592.98	23.59	7.1918
	Median	5.00	549.00	20.00	7.0000
	Std. Deviation	1.56	232.38	12.99	2.00470
6	Mean	5.14	620.22	23.60	7.2939
	Median	4.95	563.00	20.00	7.0000
	Std. Deviation	1.60	266.14	13.05	2.12279
7	Mean	4.94	600.74	24.77	7.2042
	Median	4.80	555.00	21.00	7.0000
	Std. Deviation	1.51	228.95	13.73	1.89089
8	Mean	5.06	607.18	25.03	7.1605
	Median	4.80	562.00	21.00	6.9000
	Std. Deviation	1.58	227.91	14.24	1.84015
9	Mean	4.77	623.63	23.80	7.2287
	Median	4.50	589.00	21.00	7.0000
	Std. Deviation	1.43	230.38	13.04	1.87373
10	Mean	5.04	601.02	25.21	7.3540
	Median	4.80	555.00	22.00	7.1000
	Std. Deviation	1.54	227.81	14.04	2.10002
Total	Mean	5.05	603.30	24.18	7.1909
	Median	4.90	559.00	21.00	6.9000
	Std. Deviation	1.54	232.54	13.51	1.97850

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		A-G Ratio (Final Recoded Value)	AFP Tumor Marker, Serum (ng-mL)	Albumin, Serum (g-dL)	Alkaline Phosphatase, Serum (IU-L)	ALT (SGPT) (IU-L)	Antinuclear Antibodies Direct (U-mL)
1	Mean	1.50	6.78	4.31	82.54	19.96	38.71
	Median	1.50	2.00	4.30	78.00	17.00	27.00
	Std. Deviation	0.24	28.83	0.34	28.89	15.51	63.51
2	Mean	1.51	4.60	4.35	83.29	20.29	40.23
	Median	1.50	2.00	4.40	79.00	17.00	28.00
	Std. Deviation	0.23	18.40	0.30	27.79	12.84	74.62
3	Mean	1.51	4.77	4.37	82.71	20.75	40.49
	Median	1.50	2.00	4.40	78.00	17.00	29.00
	Std. Deviation	0.22	18.78	0.30	27.34	14.53	69.15
4	Mean	1.51	4.62	4.36	83.65	20.84	42.37
	Median	1.50	2.00	4.40	80.00	18.00	28.00
	Std. Deviation	0.23	23.12	0.29	30.01	14.01	76.19
5	Mean	1.51	5.58	4.38	83.28	20.71	44.55
	Median	1.50	2.00	4.40	79.00	17.00	29.00
	Std. Deviation	0.23	92.43	0.29	35.10	12.61	90.46
6	Mean	1.51	3.77	4.38	83.22	20.83	41.60
	Median	1.50	2.00	4.40	79.00	18.00	29.00
	Std. Deviation	0.22	13.65	0.30	27.09	13.70	61.58
7	Mean	1.51	3.81	4.38	82.64	21.18	44.09
	Median	1.50	2.00	4.40	78.00	18.00	30.00
	Std. Deviation	0.23	14.72	0.29	27.87	26.94	70.51
8	Mean	1.52	3.33	4.38	83.62	21.56	49.92
	Median	1.50	2.00	4.40	79.00	18.00	30.00
	Std. Deviation	0.22	10.11	0.29	31.39	16.37	118.30
9	Mean	1.51	3.21	4.38	83.27	20.74	46.08
	Median	1.50	2.00	4.40	79.00	18.00	30.00
	Std. Deviation	0.22	7.40	0.28	29.93	11.85	83.39
10	Mean	1.53	3.06	4.41	84.38	21.94	49.01
	Median	1.50	2.00	4.40	81.00	19.00	29.00
	Std. Deviation	0.23	8.12	0.27	27.39	15.18	109.70
Total	Mean	1.51	4.52	4.37	83.21	20.80	43.24
	Median	1.50	2.00	4.40	79.00	17.00	29.00
	Std. Deviation	0.23	33.76	0.30	29.34	15.77	82.09

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		AST (SGOT) (IU-L)	Baso (Absolute) (x10e3-uL)	Basos (%)	Bilirubin, Direct (mg-dL)	Bilirubin, Total (mg-dL)	BUN (mg-dL)	BUN-Creatinine Ratio (Final Recoded Value)
1	Mean	20.34	0.02	0.26	0.10	0.35	12.78	15.69
	Median	18.00	0.00	0.00	0.09	0.30	12.00	15.00
	Std. Deviation	11.30	0.04	0.44	0.05	0.21	5.57	5.07
2	Mean	20.62	0.02	0.25	0.10	0.37	12.90	15.80
	Median	19.00	0.00	0.00	0.10	0.30	12.00	15.00
	Std. Deviation	8.75	0.04	0.44	0.05	0.21	4.88	5.04
3	Mean	20.94	0.02	0.27	0.11	0.38	12.97	15.79
	Median	19.00	0.00	0.00	0.10	0.30	12.00	15.00
	Std. Deviation	10.10	0.04	0.45	0.05	0.22	4.87	4.82
4	Mean	21.16	0.03	0.29	0.11	0.38	13.35	16.04
	Median	19.00	0.00	0.00	0.10	0.30	13.00	15.50
	Std. Deviation	9.89	0.04	0.47	0.05	0.23	4.99	5.00
5	Mean	21.39	0.02	0.29	0.11	0.38	13.34	16.06
	Median	19.00	0.00	0.00	0.10	0.30	13.00	16.00
	Std. Deviation	12.35	0.04	0.46	0.05	0.21	5.03	4.94
6	Mean	21.46	0.03	0.31	0.11	0.38	13.61	16.23
	Median	19.00	0.00	0.00	0.10	0.30	13.00	16.00
	Std. Deviation	10.17	0.04	0.47	0.05	0.21	5.17	5.01
7	Mean	21.74	0.03	0.32	0.11	0.38	13.94	16.44
	Median	20.00	0.00	0.00	0.10	0.30	13.00	16.00
	Std. Deviation	20.09	0.05	0.48	0.05	0.21	5.72	5.08
8	Mean	22.25	0.03	0.32	0.11	0.39	13.91	16.45
	Median	20.00	0.00	0.00	0.10	0.30	13.00	16.00
	Std. Deviation	11.77	0.04	0.47	0.05	0.22	5.39	5.11
9	Mean	21.66	0.03	0.31	0.11	0.38	13.86	16.36
	Median	20.00	0.00	0.00	0.10	0.30	13.00	16.00
	Std. Deviation	9.14	0.04	0.46	0.06	0.21	5.02	4.98
10	Mean	22.28	0.03	0.29	0.11	0.38	14.12	16.45
	Median	20.00	0.00	0.00	0.10	0.30	13.00	16.00
	Std. Deviation	9.58	0.04	0.46	0.05	0.20	5.33	4.95
Total	Mean	21.29	0.03	0.29	0.11	0.38	13.41	16.09
	Median	19.00	0.00	0.00	0.10	0.30	13.00	16.00
	Std. Deviation	11.66	0.04	0.46	0.05	0.21	5.23	5.01

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Calcium, Serum (mg-dL)	Cancer Antigen (CA-125) (U-mL)	CEA (ng-mL)	Chloride, Serum (mmol-L)	Cholesterol, Total (mg-dL)	Cortisol (ug-dL)
1	Mean	9.72	16.47	1.25	103.79	193.64	12.33
	Median	9.70	12.90	0.80	104.00	189.00	11.00
	Std. Deviation	0.40	17.12	4.62	2.46	42.57	6.40
2	Mean	9.77	27.92	1.25	103.66	196.22	12.51
	Median	9.80	12.50	0.80	104.00	191.00	11.10
	Std. Deviation	0.40	750.79	3.85	2.43	42.29	6.70
3	Mean	9.79	14.66	1.28	103.52	197.95	12.42
	Median	9.80	12.20	0.80	104.00	194.00	11.20
	Std. Deviation	0.39	10.94	2.21	2.41	41.70	6.39
4	Mean	9.81	14.81	1.22	103.43	199.29	12.37
	Median	9.80	12.20	0.90	104.00	195.00	11.20
	Std. Deviation	0.40	19.81	2.63	2.46	41.72	6.49
5	Mean	9.82	15.15	1.52	103.35	200.55	12.23
	Median	9.80	12.30	0.90	103.00	197.50	11.00
	Std. Deviation	0.40	21.86	11.48	2.56	41.32	6.58
6	Mean	9.82	14.74	1.28	103.33	202.81	12.17
	Median	9.80	12.10	0.90	103.00	199.00	10.90
	Std. Deviation	0.41	14.19	1.87	2.56	43.12	6.32
7	Mean	9.83	14.77	1.52	103.10	203.21	12.10
	Median	9.80	12.20	0.90	103.00	200.00	11.10
	Std. Deviation	0.39	11.59	8.82	2.52	43.07	6.00
8	Mean	9.84	14.70	1.49	102.97	204.69	12.15
	Median	9.80	12.10	0.90	103.00	200.00	11.10
	Std. Deviation	0.42	11.88	5.33	2.60	42.41	6.02
9	Mean	9.84	14.77	1.41	103.13	204.20	11.97
	Median	9.80	12.10	1.00	103.00	201.00	10.90
	Std. Deviation	0.40	14.87	1.72	2.62	41.64	6.07
10	Mean	9.88	14.41	1.62	102.81	208.27	11.78
	Median	9.90	11.80	1.10	103.00	205.00	11.00
	Std. Deviation	0.41	14.72	3.03	2.69	43.34	5.59
Total	Mean	9.80	16.52	1.37	103.35	200.44	12.23
	Median	9.80	12.30	0.90	103.00	196.00	11.00
	Std. Deviation	0.40	255.27	5.45	2.54	42.52	6.30

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		C-Reactive Protein, Quant (mg-L)	Creatinine, Serum (mg-dL)	Eos (%)	Eos (Absolute) (x10e3-uL)	Estradiol (pg-mL)	Folates (Folic Acid), Serum (ng-mL)
1	Mean	4.91	0.83	2.02	0.16	441.04	17.52
	Median	2.50	0.80	2.00	0.10	43.50	14.50
	Std. Deviation	8.08	0.36	1.68	0.13	2311.97	10.31
2	Mean	4.83	0.82	2.02	0.15	262.21	17.76
	Median	2.50	0.80	2.00	0.10	36.00	14.70
	Std. Deviation	8.24	0.18	1.61	0.12	1720.56	10.32
3	Mean	4.73	0.82	2.02	0.15	264.31	17.55
	Median	2.40	0.80	2.00	0.10	34.00	14.70
	Std. Deviation	7.76	0.16	1.52	0.11	1563.34	10.25
4	Mean	4.74	0.84	2.04	0.15	206.20	17.85
	Median	2.50	0.80	2.00	0.10	31.00	14.60
	Std. Deviation	8.24	0.25	1.63	0.13	1310.70	10.56
5	Mean	4.49	0.84	2.04	0.15	176.27	18.30
	Median	2.40	0.80	2.00	0.10	31.00	14.95
	Std. Deviation	6.87	0.19	1.60	0.12	1318.58	10.61
6	Mean	4.39	0.84	2.13	0.16	143.16	18.44
	Median	2.30	0.80	2.00	0.10	29.00	15.30
	Std. Deviation	6.45	0.17	1.65	0.14	1053.12	10.48
7	Mean	4.35	0.85	2.11	0.16	148.35	18.73
	Median	2.30	0.80	2.00	0.10	27.00	15.50
	Std. Deviation	7.40	0.19	1.69	0.13	1023.75	10.66
8	Mean	3.98	0.85	2.09	0.15	139.30	19.26
	Median	2.10	0.80	2.00	0.10	26.00	16.00
	Std. Deviation	5.66	0.18	1.54	0.11	1162.83	10.77
9	Mean	4.22	0.85	2.20	0.16	100.37	19.93
	Median	2.10	0.80	2.00	0.10	26.00	16.35
	Std. Deviation	7.62	0.18	1.78	0.13	649.82	10.82
10	Mean	4.07	0.86	2.13	0.16	84.43	20.52
	Median	2.00	0.80	2.00	0.10	24.00	17.20
	Std. Deviation	6.71	0.24	1.59	0.12	648.83	10.91
Total	Mean	4.51	0.84	2.07	0.16	212.99	18.46
	Median	2.30	0.80	2.00	0.10	31.00	15.20
	Std. Deviation	7.43	0.22	1.63	0.13	1448.15	10.59

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Free Testosterone, Direct (pg-mL)	Free Thyroxine Index (Final Recoded Value)	GGT (IU-L)	Globulin, Total (g- dL)	Glucose, Serum (mg-dL)	HDL Cholesterol (mg-dL)
1	Mean	0.76	2.36	23.10	2.92	101.61	53.20
	Median	0.60	2.30	16.00	2.90	93.00	51.00
	Std. Deviation	1.40	0.50	31.33	0.38	38.97	14.31
2	Mean	0.75	2.40	24.83	2.94	101.03	54.00
	Median	0.60	2.40	17.00	2.90	93.00	52.00
	Std. Deviation	0.88	0.51	35.29	0.37	37.79	14.32
3	Mean	0.79	2.38	24.21	2.94	101.46	54.44
	Median	0.60	2.40	17.00	2.90	93.00	53.00
	Std. Deviation	0.84	0.49	29.61	0.36	35.19	14.53
4	Mean	0.72	2.39	24.87	2.94	101.32	54.36
	Median	0.60	2.40	17.00	2.90	93.00	53.00
	Std. Deviation	0.65	0.53	32.64	0.37	35.91	14.35
5	Mean	0.78	2.40	24.53	2.95	100.13	54.61
	Median	0.60	2.40	17.00	2.90	93.00	53.00
	Std. Deviation	1.02	0.50	27.33	0.36	30.69	14.58
6	Mean	0.77	2.40	24.21	2.94	101.30	55.40
	Median	0.60	2.40	17.00	2.90	93.00	54.00
	Std. Deviation	1.70	0.46	25.57	0.35	35.48	14.66
7	Mean	0.72	2.39	25.58	2.94	101.39	55.48
	Median	0.60	2.40	17.00	2.90	94.00	54.00
	Std. Deviation	0.69	0.48	39.51	0.36	32.15	14.76
8	Mean	0.73	2.44	25.52	2.92	100.12	55.98
	Median	0.60	2.40	17.00	2.90	94.00	54.00
	Std. Deviation	0.78	0.50	31.51	0.36	28.87	15.07
9	Mean	0.67	2.43	25.61	2.95	100.82	56.19
	Median	0.50	2.40	17.00	2.90	94.00	54.00
	Std. Deviation	0.72	0.51	40.96	0.36	29.65	14.61
10	Mean	0.67	2.41	26.73	2.93	102.33	56.31
	Median	0.50	2.40	18.00	2.90	95.00	54.00
	Std. Deviation	0.77	0.50	36.28	0.37	31.17	15.27
Total	Mean	0.74	2.40	24.79	2.94	101.16	54.85
	Median	0.60	2.40	17.00	2.90	93.00	53.00
	Std. Deviation	1.02	0.50	33.14	0.37	34.21	14.64

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Hematocrit (%)	Hemoglobin (g-dL)	Immunoglobulin A, Qn, Serum (mg-dL)	Immunoglobulin E, Total (IU-mL)	Immunoglobulin G, Qn, Serum (mg-dL)	Immunoglobulin M, Qn, Serum (mg-dL)
1	Mean	39.94	13.42	217.05	68.54	1062.24	140.28
	Median	40.10	13.60	202.00	16.00	1043.00	123.00
	Std. Deviation	3.67	1.29	98.89	246.80	265.75	156.28
2	Mean	40.54	13.65	217.52	67.31	1068.15	137.43
	Median	40.70	13.70	203.00	15.00	1047.00	122.00
	Std. Deviation	3.25	1.10	98.13	231.32	248.02	86.07
3	Mean	40.73	13.72	216.30	55.28	1063.10	135.67
	Median	40.80	13.80	200.00	15.00	1043.00	121.00
	Std. Deviation	3.19	1.08	98.79	145.39	248.19	80.90
4	Mean	40.78	13.73	215.28	62.23	1059.83	133.95
	Median	40.80	13.80	200.00	14.00	1039.00	117.00
	Std. Deviation	3.26	1.11	98.02	228.02	253.38	86.86
5	Mean	40.82	13.73	215.42	63.11	1055.02	134.24
	Median	40.90	13.80	199.00	14.00	1028.00	118.00
	Std. Deviation	3.30	1.13	99.09	250.67	251.13	83.64
6	Mean	40.91	13.76	211.45	64.69	1042.23	136.06
	Median	41.00	13.80	195.00	14.00	1020.00	119.00
	Std. Deviation	3.33	1.11	99.30	281.07	235.82	92.69
7	Mean	40.86	13.74	212.06	67.28	1037.47	130.35
	Median	40.90	13.80	197.00	15.00	1016.00	114.00
	Std. Deviation	3.26	1.11	101.84	261.61	248.61	84.55
8	Mean	41.01	13.78	208.14	56.56	1029.35	133.73
	Median	41.00	13.80	192.00	14.00	997.00	114.00
	Std. Deviation	3.31	1.12	105.55	157.75	258.12	89.46
9	Mean	41.01	13.79	214.50	50.42	1037.79	132.48
	Median	41.00	13.80	196.00	13.00	1015.00	116.00
	Std. Deviation	3.25	1.09	112.15	184.56	246.25	93.00
10	Mean	41.02	13.81	211.54	62.67	1025.85	133.83
	Median	41.10	13.80	195.00	13.00	1002.00	113.00
	Std. Deviation	3.36	1.15	111.69	233.88	255.99	128.28
Total	Mean	40.71	13.70	214.25	62.25	1049.95	135.16
	Median	40.80	13.70	198.00	14.00	1028.00	118.00
	Std. Deviation	3.35	1.14	101.96	226.84	252.21	103.35

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Insulin, Fasting (uIU-mL)	Insulin-Like Growth Factor I (ng-mL)	Iron, Serum (ug-dL)	LDH (IU-L)	LDL Cholesterol (Calculated)	Lymphs (%)
1	Mean	19.97	164.08	75.30	167.32	109.40	28.97
	Median	11.80	151.00	71.00	162.00	106.00	29.00
	Std. Deviation	26.83	74.79	35.29	35.30	34.88	7.64
2	Mean	20.70	157.56	79.62	169.05	110.74	29.23
	Median	11.90	142.00	75.00	165.00	108.00	29.00
	Std. Deviation	30.48	73.63	34.20	40.60	33.49	7.68
3	Mean	20.35	155.79	80.24	168.46	111.92	29.46
	Median	12.20	142.00	76.00	164.00	109.00	29.00
	Std. Deviation	28.31	70.73	34.07	33.98	34.16	7.57
4	Mean	20.09	149.95	80.12	169.54	112.63	29.54
	Median	12.30	136.00	76.00	165.00	109.00	29.00
	Std. Deviation	23.80	70.70	33.38	33.41	35.08	7.35
5	Mean	19.84	149.67	80.79	170.96	113.86	29.46
	Median	11.50	135.00	77.00	166.00	110.00	29.00
	Std. Deviation	31.20	72.47	33.60	50.83	34.81	7.69
6	Mean	20.18	146.29	81.03	172.48	114.77	29.48
	Median	11.20	133.00	76.00	168.00	111.00	29.00
	Std. Deviation	32.06	69.67	33.59	35.67	35.82	7.29
7	Mean	18.76	141.00	82.45	172.60	114.18	29.53
	Median	11.70	128.00	79.00	168.00	111.00	29.00
	Std. Deviation	23.23	65.11	33.64	33.36	34.44	7.64
8	Mean	18.51	138.67	83.61	173.96	115.87	29.81
	Median	11.20	125.00	79.00	169.00	112.00	29.00
	Std. Deviation	26.12	66.36	34.47	34.57	36.24	7.41
9	Mean	18.19	136.55	81.82	173.62	114.58	29.65
	Median	11.10	123.00	78.00	170.00	111.00	30.00
	Std. Deviation	24.11	63.51	32.68	44.94	34.59	7.51
10	Mean	17.35	130.97	81.39	177.47	117.12	29.68
	Median	10.30	119.00	78.00	174.00	113.00	29.00
	Std. Deviation	20.96	58.56	31.02	36.41	36.15	7.60
Total	Mean	19.51	148.55	80.32	171.13	113.16	29.45
	Median	11.60	135.00	76.00	167.00	110.00	29.00
	Std. Deviation	27.14	70.07	33.82	38.31	34.98	7.55

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Lymphs (Absolute) (x10e3-uL)	Magnesium, Serum (mg-dL)	MCH (pg)	MCHC (g-dL)	MCV (fL)	Monocytes (%)	Monocytes(Absolute) (x10e3-uL)
1	Mean	2.13	1.98	30.18	33.60	89.79	5.68	0.42
	Median	2.10	2.00	30.50	33.70	90.00	6.00	0.40
	Std. Deviation	0.85	0.17	2.31	0.77	5.89	1.97	0.16
2	Mean	2.13	1.99	30.43	33.67	90.37	5.75	0.42
	Median	2.00	2.00	30.60	33.70	91.00	6.00	0.40
	Std. Deviation	0.73	0.17	1.95	0.68	5.08	2.00	0.16
3	Mean	2.16	1.99	30.50	33.69	90.55	5.85	0.42
	Median	2.10	2.00	30.60	33.70	91.00	6.00	0.40
	Std. Deviation	1.81	0.16	1.78	0.64	4.66	2.01	0.16
4	Mean	2.14	2.00	30.52	33.68	90.64	5.83	0.42
	Median	2.10	2.00	30.60	33.70	91.00	6.00	0.40
	Std. Deviation	0.66	0.17	1.81	0.64	4.73	1.92	0.16
5	Mean	2.15	2.00	30.52	33.63	90.76	5.83	0.42
	Median	2.00	2.00	30.60	33.70	91.00	6.00	0.40
	Std. Deviation	0.93	0.17	1.93	0.67	5.02	2.03	0.16
6	Mean	2.13	2.01	30.60	33.64	91.01	5.94	0.43
	Median	2.00	2.00	30.70	33.70	91.00	6.00	0.40
	Std. Deviation	0.68	0.17	1.79	0.63	4.75	2.00	0.16
7	Mean	2.14	2.01	30.71	33.64	91.33	6.01	0.43
	Median	2.10	2.00	30.80	33.70	91.00	6.00	0.40
	Std. Deviation	0.74	0.17	1.77	0.65	4.67	2.09	0.17
8	Mean	2.12	2.02	30.76	33.60	91.58	6.02	0.43
	Median	2.00	2.00	30.90	33.60	92.00	6.00	0.40
	Std. Deviation	0.73	0.17	1.84	0.64	4.89	2.05	0.17
9	Mean	2.10	2.02	30.69	33.61	91.34	5.99	0.42
	Median	2.00	2.00	30.80	33.60	91.50	6.00	0.40
	Std. Deviation	0.68	0.16	1.82	0.64	4.83	2.03	0.16
10	Mean	2.18	2.02	30.80	33.65	91.53	5.96	0.43
	Median	2.00	2.00	30.90	33.70	92.00	6.00	0.40
	Std. Deviation	1.75	0.16	1.88	0.65	4.94	1.99	0.17
Total	Mean	2.14	2.00	30.54	33.64	90.80	5.87	0.42
	Median	2.00	2.00	30.70	33.70	91.00	6.00	0.40
	Std. Deviation	1.03	0.17	1.93	0.67	5.04	2.01	0.16

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Neutrophils (%)	Neutrophils (Absolute) (x10e3-uL)	Phosphorus, Serum (mg-dL)	Platelets (x10e3-uL)	Potassium, Serum (mmol-L)	Prolactin (ng-mL)
1	Mean	63.06	4.84	3.64	299.33	4.08	14.35
	Median	63.00	4.60	3.60	290.00	4.10	8.10
	Std. Deviation	8.66	1.85	0.59	73.95	0.32	27.10
2	Mean	62.74	4.78	3.62	294.88	4.07	11.99
	Median	63.00	4.40	3.60	290.00	4.10	8.00
	Std. Deviation	8.77	1.89	0.56	69.57	0.32	19.65
3	Mean	62.40	4.73	3.64	293.45	4.08	12.12
	Median	63.00	4.40	3.60	288.00	4.10	7.80
	Std. Deviation	8.61	1.80	0.56	67.09	0.34	21.30
4	Mean	62.30	4.71	3.65	295.88	4.09	11.94
	Median	62.00	4.40	3.60	290.00	4.10	7.80
	Std. Deviation	8.34	1.76	0.58	68.82	0.34	22.40
5	Mean	62.38	4.72	3.65	293.54	4.10	10.80
	Median	63.00	4.40	3.60	287.00	4.10	7.80
	Std. Deviation	8.72	1.81	0.55	68.15	0.33	16.28
6	Mean	62.13	4.66	3.65	295.01	4.12	10.94
	Median	62.00	4.40	3.70	290.00	4.10	7.80
	Std. Deviation	8.22	1.75	0.54	70.80	0.34	17.10
7	Mean	62.03	4.66	3.67	292.02	4.11	10.61
	Median	62.00	4.40	3.70	288.00	4.10	7.60
	Std. Deviation	8.69	1.75	0.55	67.85	0.34	15.76
8	Mean	61.75	4.55	3.68	291.10	4.13	10.46
	Median	62.00	4.30	3.70	285.00	4.10	7.60
	Std. Deviation	8.44	1.68	0.53	67.61	0.36	15.37
9	Mean	61.85	4.55	3.69	292.26	4.14	9.83
	Median	62.00	4.30	3.70	285.00	4.10	7.50
	Std. Deviation	8.52	1.65	0.53	72.75	0.36	12.22
10	Mean	61.94	4.61	3.73	291.70	4.16	9.53
	Median	62.00	4.30	3.70	285.00	4.10	7.30
	Std. Deviation	8.45	1.71	0.56	68.70	0.37	17.70
Total	Mean	62.32	4.70	3.66	294.25	4.10	11.47
	Median	63.00	4.40	3.70	288.00	4.10	7.80
	Std. Deviation	8.56	1.78	0.56	69.77	0.34	19.57

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Protein, Total, Serum (g-dL)	RDW (%)	Red Blood Cell Count (x10e6-uL)	Sodium, Serum (mmol-L)	T3 Uptake (%)	Testosterone, Serum (ng-dL)	Thyroxine (T4) (ng- dL)
1	Mean	7.24	14.24	4.46	140.39	29.23	41.11	8.21
	Median	7.20	13.90	4.47	140.00	30.00	38.00	8.00
	Std. Deviation	0.46	1.56	0.40	2.18	4.09	22.55	1.91
2	Mean	7.29	13.96	4.50	140.48	29.07	40.49	8.37
	Median	7.30	13.70	4.50	141.00	30.00	37.00	8.10
	Std. Deviation	0.43	1.33	0.37	2.17	3.89	28.12	1.94
3	Mean	7.31	13.89	4.51	140.53	29.03	40.88	8.31
	Median	7.30	13.60	4.51	141.00	29.00	38.00	8.10
	Std. Deviation	0.43	1.21	0.36	2.13	3.85	23.16	1.90
4	Mean	7.31	13.87	4.51	140.60	29.00	39.11	8.36
	Median	7.30	13.70	4.52	141.00	30.00	37.00	8.10
	Std. Deviation	0.43	1.19	0.37	2.19	3.82	18.47	1.96
5	Mean	7.32	13.92	4.51	140.58	29.17	39.90	8.34
	Median	7.30	13.70	4.52	141.00	29.00	37.00	8.10
	Std. Deviation	0.43	1.24	0.37	2.28	3.65	25.00	1.91
6	Mean	7.32	13.87	4.51	140.66	29.26	39.05	8.33
	Median	7.30	13.70	4.51	141.00	30.00	37.00	8.10
	Std. Deviation	0.43	1.12	0.39	2.28	3.66	21.68	1.85
7	Mean	7.32	13.88	4.48	140.54	29.21	38.08	8.30
	Median	7.30	13.60	4.49	141.00	30.00	36.00	8.10
	Std. Deviation	0.43	1.17	0.38	2.19	3.64	19.39	1.86
8	Mean	7.31	13.90	4.49	140.57	29.36	38.03	8.41
	Median	7.30	13.70	4.50	141.00	30.00	36.00	8.20
	Std. Deviation	0.43	1.22	0.38	2.36	3.61	19.28	1.89
9	Mean	7.32	13.86	4.50	140.69	29.36	37.33	8.38
	Median	7.30	13.70	4.51	141.00	30.00	35.00	8.20
	Std. Deviation	0.42	1.18	0.38	2.34	3.49	20.44	1.87
10	Mean	7.33	13.87	4.49	140.62	29.41	37.03	8.28
	Median	7.30	13.60	4.49	141.00	30.00	35.00	8.10
	Std. Deviation	0.42	1.23	0.38	2.35	3.39	20.81	1.87
Total	Mean	7.30	13.94	4.49	140.55	29.20	39.30	8.32
	Median	7.30	13.70	4.50	141.00	30.00	36.00	8.10
	Std. Deviation	0.43	1.28	0.38	2.24	3.75	22.33	1.90

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Women (Female, >=18YO)

Population Decile Group -- C8 (PFOA)		Triglycerides (mg-dL)	TSH (uIU-mL)	Uric Acid, Serum (mg-dL)	Vitamin B12 (pg-mL)	VLDL Cholesterol (Calculated) (mg-dL)	White Blood Cell Count (x10e3-uL)
1	Mean	159.25	2.23	4.68	473.85	28.95	7.55
	Median	128.00	1.65	4.50	417.00	25.00	7.20
	Std. Deviation	143.77	4.66	1.34	269.27	15.60	2.27
2	Mean	162.28	2.19	4.80	473.11	28.80	7.49
	Median	128.00	1.68	4.60	415.00	25.00	7.10
	Std. Deviation	146.00	3.42	1.30	281.99	15.28	2.26
3	Mean	159.94	2.35	4.82	458.83	29.27	7.47
	Median	132.00	1.72	4.70	406.00	26.00	7.20
	Std. Deviation	114.51	3.67	1.29	241.98	15.10	2.70
4	Mean	164.97	2.32	4.88	470.83	30.13	7.44
	Median	137.00	1.71	4.70	410.00	27.00	7.10
	Std. Deviation	112.77	3.52	1.33	284.50	15.67	2.13
5	Mean	164.65	2.42	4.91	476.46	30.18	7.46
	Median	135.50	1.74	4.70	415.00	26.00	7.20
	Std. Deviation	111.83	5.69	1.36	270.03	15.56	2.26
6	Mean	165.57	2.35	4.95	478.50	30.40	7.39
	Median	137.00	1.76	4.80	414.00	27.00	7.00
	Std. Deviation	113.78	4.29	1.36	287.22	15.79	2.17
7	Mean	173.12	2.51	4.99	476.79	30.90	7.41
	Median	140.00	1.77	4.80	415.00	27.00	7.10
	Std. Deviation	143.28	5.03	1.48	282.93	15.55	2.17
8	Mean	169.82	2.25	4.98	492.85	30.92	7.27
	Median	140.00	1.78	4.80	422.00	27.00	6.90
	Std. Deviation	113.23	2.81	1.42	310.31	15.77	2.10
9	Mean	171.08	2.43	4.98	494.51	31.27	7.25
	Median	143.00	1.79	4.80	428.00	28.00	7.00
	Std. Deviation	113.90	4.26	1.46	285.19	15.60	2.03
10	Mean	178.18	2.51	5.08	507.04	32.17	7.39
	Median	150.00	1.84	4.90	434.00	29.00	7.00
	Std. Deviation	119.37	3.76	1.42	305.39	15.98	2.74
Total	Mean	166.12	2.34	4.89	479.02	30.15	7.42
	Median	136.00	1.73	4.70	417.00	27.00	7.10
	Std. Deviation	125.58	4.20	1.38	281.16	15.60	2.30

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		A-G Ratio (Final Recoded Value)	AFP Tumor Marker, Serum (ng-mL)	Albumin, Serum (g-dL)	Alkaline Phosphatase, Serum (IU-L)	ALT (SGPT) (IU-L)	Antinuclear Antibodies Direct (U-mL)	AST (SGOT) (IU-L)	Baso (Absolute) (x10e3-uL)
1	Mean	1.59	2.45	4.40	86.70	28.46	38.02	24.41	0.02
	Median	1.60	2.00	4.40	82.00	25.00	26.00	22.00	0.00
	Std. Deviation	0.27	1.01	0.34	32.12	17.99	47.67	11.64	0.04
2	Mean	1.61	2.50	4.49	86.54	31.37	37.96	25.98	0.02
	Median	1.60	2.00	4.50	83.00	26.00	27.00	22.00	0.00
	Std. Deviation	0.24	1.06	0.29	31.09	36.36	56.61	26.23	0.04
3	Mean	1.62	2.55	4.51	85.22	30.46	37.30	24.83	0.02
	Median	1.60	2.00	4.50	82.00	26.00	27.00	22.00	0.00
	Std. Deviation	0.24	2.20	0.29	26.14	21.08	56.66	12.40	0.04
4	Mean	1.63	2.56	4.53	84.78	32.18	37.01	25.55	0.02
	Median	1.60	2.00	4.50	82.00	26.00	27.00	23.00	0.00
	Std. Deviation	0.24	1.29	0.29	25.79	34.52	52.36	16.57	0.04
5	Mean	1.62	12.47	4.54	85.28	31.69	38.13	25.32	0.02
	Median	1.60	2.00	4.50	82.00	26.00	28.00	23.00	0.00
	Std. Deviation	0.24	524.43	0.28	23.82	20.68	62.32	11.29	0.04
6	Mean	1.62	2.54	4.53	84.08	31.24	40.19	25.77	0.03
	Median	1.60	2.00	4.50	80.00	26.00	28.00	23.00	0.00
	Std. Deviation	0.24	1.43	0.29	31.75	26.21	77.25	18.61	0.04
7	Mean	1.62	2.57	4.53	84.02	31.08	40.43	25.61	0.03
	Median	1.60	2.00	4.50	81.00	26.00	30.00	23.00	0.00
	Std. Deviation	0.24	1.26	0.29	25.89	20.23	59.23	15.69	0.04
8	Mean	1.61	2.58	4.52	83.56	30.73	42.44	25.36	0.03
	Median	1.60	2.00	4.50	81.00	26.00	30.00	23.00	0.00
	Std. Deviation	0.24	1.25	0.29	23.80	19.29	73.78	14.03	0.05
9	Mean	1.61	2.60	4.53	83.38	30.55	39.85	25.37	0.03
	Median	1.60	2.00	4.50	80.00	26.00	29.00	23.00	0.00
	Std. Deviation	0.23	1.28	0.27	26.02	18.49	51.89	11.15	0.05
10	Mean	1.62	2.61	4.53	84.04	31.64	41.48	25.65	0.03
	Median	1.60	2.00	4.50	81.00	27.00	29.00	23.00	0.00
	Std. Deviation	0.24	1.06	0.27	24.02	19.67	58.48	11.54	0.05
Total	Mean	1.62	3.60	4.52	84.58	31.04	39.47	25.42	0.03
	Median	1.60	2.00	4.50	81.00	26.00	28.00	23.00	0.00
	Std. Deviation	0.24	169.61	0.29	26.81	23.92	60.89	15.19	0.04

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Basos (%)	Bilirubin, Direct (mg-dL)	Bilirubin, Total (mg-dL)	BUN (mg-dL)	BUN-Creatinine Ratio (Final Recoded Value)	Calcium, Serum (mg-dL)	Cancer Antigen (CA-125) (U-mL)	CEA (ng-mL)
1	Mean	0.26	0.13	0.47	16.20	14.81	9.79	13.33	1.67
	Median	0.00	0.11	0.40	15.00	14.00	9.80	10.60	1.30
	Std. Deviation	0.44	0.07	0.32	7.34	4.42	0.41	12.64	1.69
2	Mean	0.25	0.13	0.50	15.33	14.75	9.85	12.41	1.53
	Median	0.00	0.12	0.40	14.00	14.00	9.80	10.70	1.30
	Std. Deviation	0.44	0.09	0.29	5.46	4.32	0.39	8.66	1.24
3	Mean	0.26	0.13	0.50	14.97	14.44	9.87	12.64	1.51
	Median	0.00	0.12	0.40	14.00	14.00	9.90	10.70	1.20
	Std. Deviation	0.44	0.06	0.29	5.10	4.14	0.37	8.70	1.24
4	Mean	0.28	0.14	0.52	14.99	14.42	9.89	13.88	3.15
	Median	0.00	0.12	0.40	14.00	14.00	9.90	10.70	1.30
	Std. Deviation	0.45	0.25	0.46	4.65	4.11	0.38	73.28	62.47
5	Mean	0.27	0.13	0.51	15.15	14.52	9.89	13.21	1.49
	Median	0.00	0.12	0.40	15.00	14.00	9.90	11.00	1.20
	Std. Deviation	0.45	0.06	0.29	4.88	3.93	0.37	22.52	1.25
6	Mean	0.30	0.14	0.51	15.45	14.72	9.87	13.05	1.82
	Median	0.00	0.12	0.40	15.00	14.00	9.90	10.80	1.20
	Std. Deviation	0.46	0.15	0.35	5.13	4.14	0.38	15.51	14.59
7	Mean	0.30	0.13	0.52	15.28	14.52	9.88	13.18	1.73
	Median	0.00	0.12	0.40	15.00	14.00	9.90	10.70	1.30
	Std. Deviation	0.47	0.06	0.29	5.18	3.93	0.39	20.14	9.33
8	Mean	0.33	0.13	0.52	15.30	14.58	9.88	13.00	1.53
	Median	0.00	0.12	0.40	15.00	14.00	9.90	10.90	1.20
	Std. Deviation	0.48	0.06	0.30	4.80	4.03	0.38	13.39	1.52
9	Mean	0.33	0.13	0.51	15.40	14.71	9.88	12.64	1.63
	Median	0.00	0.12	0.40	15.00	14.00	9.90	10.90	1.30
	Std. Deviation	0.47	0.06	0.28	4.59	3.90	0.38	10.13	1.92
10	Mean	0.32	0.13	0.51	15.58	14.75	9.89	12.92	1.55
	Median	0.00	0.12	0.40	15.00	14.00	9.90	11.00	1.30
	Std. Deviation	0.47	0.06	0.29	4.83	4.06	0.38	8.55	1.18
Total	Mean	0.29	0.13	0.51	15.34	14.62	9.87	13.03	1.77
	Median	0.00	0.12	0.40	15.00	14.00	9.90	10.80	1.30
	Std. Deviation	0.46	0.11	0.32	5.13	4.08	0.38	27.20	20.89

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Chloride, Serum (mmol-L)	Cholesterol, Total (mg-dL)	Cortisol (ug-dL)	C-Reactive Protein, Quant (mg-L)	Creatinine, Serum (mg-dL)	Eos (%)	Eos (Absolute) (x10e3-uL)	Estradiol (pg- mL)
1	Mean	103.13	188.39	13.02	4.30	1.14	2.50	0.19	25.56
	Median	103.00	185.00	12.30	1.80	1.00	2.00	0.20	24.00
	Std. Deviation	2.77	44.02	5.33	8.26	0.77	1.81	0.15	13.15
2	Mean	103.05	189.19	13.31	4.08	1.05	2.42	0.18	24.75
	Median	103.00	187.00	12.70	1.70	1.00	2.00	0.10	24.00
	Std. Deviation	2.45	41.13	5.45	10.94	0.36	1.80	0.14	9.44
3	Mean	103.13	191.66	13.32	3.39	1.05	2.45	0.18	24.82
	Median	103.00	188.00	12.90	1.60	1.00	2.00	0.10	24.00
	Std. Deviation	2.36	43.47	5.50	7.17	0.24	1.86	0.15	9.58
4	Mean	103.05	192.90	13.42	3.25	1.05	2.41	0.18	25.20
	Median	103.00	191.00	12.70	1.50	1.00	2.00	0.10	24.00
	Std. Deviation	2.37	42.00	5.61	8.12	0.24	1.76	0.14	9.71
5	Mean	103.07	195.14	13.50	3.19	1.05	2.38	0.18	25.14
	Median	103.00	191.00	12.90	1.50	1.00	2.00	0.10	24.00
	Std. Deviation	2.42	44.09	5.59	7.11	0.19	1.69	0.13	9.41
6	Mean	102.98	192.45	13.24	3.16	1.06	2.41	0.18	25.23
	Median	103.00	188.00	12.70	1.40	1.00	2.00	0.10	24.00
	Std. Deviation	2.48	43.16	5.54	7.72	0.21	1.73	0.13	9.62
7	Mean	102.88	195.74	13.11	2.99	1.06	2.36	0.17	29.04
	Median	103.00	193.00	12.50	1.40	1.00	2.00	0.10	24.00
	Std. Deviation	2.54	44.01	5.55	6.82	0.21	1.69	0.12	203.00
8	Mean	102.75	194.47	13.04	2.98	1.06	2.48	0.18	24.93
	Median	103.00	191.00	12.50	1.40	1.00	2.00	0.10	24.00
	Std. Deviation	2.43	41.37	5.51	6.41	0.21	1.86	0.15	9.36
9	Mean	102.83	196.86	12.74	2.84	1.06	2.44	0.18	25.39
	Median	103.00	194.00	12.20	1.40	1.00	2.00	0.10	24.00
	Std. Deviation	2.48	40.88	5.38	5.79	0.18	1.80	0.14	9.94
10	Mean	102.72	199.15	12.76	2.81	1.07	2.49	0.18	25.89
	Median	103.00	197.00	12.10	1.30	1.00	2.00	0.10	25.00
	Std. Deviation	2.45	41.34	5.46	6.41	0.20	1.73	0.13	9.29
Total	Mean	102.94	194.12	13.13	3.22	1.06	2.43	0.18	25.64
	Median	103.00	191.00	12.50	1.50	1.00	2.00	0.10	24.00
	Std. Deviation	2.47	42.59	5.50	7.41	0.29	1.77	0.14	66.97

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Folates (Folic Acid), Serum (ng-mL)	Free Testosterone, Direct (pg-mL)	Free Thyroxine Index (Final Recoded Value)	GGT (IU-L)	Globulin, Total (g-dL)	Glucose, Serum (mg-dL)	HDL Cholesterol (mg-dL)	Hematocrit (%)
1	Mean	17.82	9.68	2.37	39.99	2.83	117.95	43.36	44.81
	Median	14.60	9.00	2.30	27.00	2.80	100.00	42.00	45.30
	Std. Deviation	10.66	4.82	0.47	54.56	0.42	56.00	11.60	4.04
2	Mean	17.13	9.94	2.42	40.63	2.83	111.76	43.75	45.46
	Median	13.70	9.30	2.40	27.00	2.80	99.00	42.00	45.70
	Std. Deviation	10.12	4.11	0.48	82.21	0.36	47.73	11.65	3.37
3	Mean	16.62	10.16	2.41	36.84	2.84	107.28	43.71	45.56
	Median	13.80	9.60	2.40	26.00	2.80	98.00	42.00	45.80
	Std. Deviation	9.66	4.55	0.45	45.57	0.36	37.98	11.37	3.33
4	Mean	16.91	10.42	2.42	36.85	2.83	106.10	43.69	45.71
	Median	14.30	9.80	2.40	26.00	2.80	97.00	42.00	45.90
	Std. Deviation	9.80	4.85	0.48	47.34	0.36	34.28	11.67	3.32
5	Mean	17.14	10.31	2.41	37.72	2.85	106.25	43.89	45.79
	Median	14.40	9.90	2.40	27.00	2.80	97.00	42.00	45.90
	Std. Deviation	9.89	4.03	0.46	41.93	0.36	38.14	11.09	3.36
6	Mean	17.28	10.44	2.40	39.01	2.85	106.50	43.98	45.53
	Median	14.15	9.80	2.40	26.00	2.80	97.00	42.00	45.80
	Std. Deviation	10.08	4.76	0.50	80.87	0.38	37.81	11.99	3.43
7	Mean	17.22	10.35	2.41	37.42	2.85	107.68	43.94	45.78
	Median	14.40	9.80	2.40	26.00	2.80	98.00	42.00	45.90
	Std. Deviation	9.66	4.53	0.48	49.47	0.36	38.96	11.65	3.36
8	Mean	17.35	10.40	2.42	37.60	2.86	106.99	43.71	45.76
	Median	14.20	9.90	2.40	26.00	2.80	97.00	42.00	45.80
	Std. Deviation	10.06	4.43	0.44	50.72	0.35	37.74	11.29	3.24
9	Mean	18.10	10.19	2.42	35.58	2.85	106.83	44.53	45.69
	Median	15.10	9.70	2.40	27.00	2.80	98.00	43.00	45.80
	Std. Deviation	10.22	4.26	0.44	36.79	0.35	37.26	11.84	3.22
10	Mean	18.31	10.11	2.40	37.42	2.84	106.33	44.57	45.61
	Median	15.20	9.60	2.40	28.00	2.80	97.00	43.00	45.70
	Std. Deviation	10.10	4.06	0.49	36.06	0.36	35.93	11.89	3.29
Total	Mean	17.41	10.23	2.41	37.70	2.84	107.80	43.96	45.61
	Median	14.40	9.70	2.40	27.00	2.80	98.00	42.00	45.80
	Std. Deviation	10.02	4.44	0.47	53.34	0.37	39.63	11.62	3.38

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Hemoglobin (g-dL)	Immunoglobulin A, Qn, Serum (mg-dL)	Immunoglobulin E, Total (IU-mL)	Immunoglobulin G, Qn, Serum (mg-dL)	Immunoglobulin M, Qn, Serum (mg-dL)	Insulin, Fasting (uIU-mL)	Insulin-Like Growth Factor I (ng-mL)
1	Mean	15.15	237.76	115.25	1031.10	99.86	26.37	150.68
	Median	15.30	218.50	31.00	1000.50	86.00	13.70	141.00
	Std. Deviation	1.40	122.04	305.31	288.67	72.63	40.05	61.09
2	Mean	15.40	236.86	124.30	1045.34	103.17	24.51	154.58
	Median	15.50	216.00	29.00	1025.00	88.00	13.40	144.00
	Std. Deviation	1.16	115.60	379.58	242.18	76.32	34.18	62.31
3	Mean	15.44	234.06	122.34	1052.60	105.26	23.67	156.37
	Median	15.50	217.00	30.00	1032.00	92.00	13.60	147.00
	Std. Deviation	1.15	105.95	390.73	237.76	68.15	33.72	62.43
4	Mean	15.50	230.69	98.26	1042.90	102.04	23.34	153.43
	Median	15.60	215.00	28.00	1019.00	90.00	12.95	146.00
	Std. Deviation	1.13	108.89	266.30	236.73	66.89	33.04	58.00
5	Mean	15.51	230.56	108.88	1042.40	104.57	21.67	154.33
	Median	15.60	214.00	29.00	1022.00	88.00	12.30	144.00
	Std. Deviation	1.14	105.94	308.85	239.54	77.07	29.84	60.44
6	Mean	15.44	227.05	101.34	1046.13	101.76	22.23	150.74
	Median	15.50	211.00	28.00	1029.00	88.00	12.60	142.00
	Std. Deviation	1.17	106.64	270.33	271.93	76.36	28.74	58.46
7	Mean	15.50	229.14	106.00	1037.83	105.88	22.80	150.95
	Median	15.60	212.00	26.00	1014.00	90.00	12.90	139.00
	Std. Deviation	1.14	109.04	323.16	239.94	87.14	32.77	62.98
8	Mean	15.48	228.09	102.86	1035.99	105.09	22.87	145.76
	Median	15.50	213.00	29.00	1012.00	90.00	12.60	135.00
	Std. Deviation	1.11	109.47	254.38	239.91	83.94	33.18	60.16
9	Mean	15.47	226.16	99.62	1034.26	104.91	21.37	143.57
	Median	15.50	210.00	27.00	1007.00	89.00	12.10	135.00
	Std. Deviation	1.10	119.77	316.21	249.87	82.82	30.30	56.05
10	Mean	15.46	224.98	93.22	1028.10	102.49	20.33	144.21
	Median	15.50	208.50	26.00	1007.00	87.00	11.80	135.00
	Std. Deviation	1.12	103.67	238.53	241.11	88.22	25.78	56.45
Total	Mean	15.45	229.82	105.82	1039.42	103.67	22.64	150.03
	Median	15.50	213.00	28.00	1017.00	89.00	12.70	140.00
	Std. Deviation	1.16	110.30	304.74	247.71	78.98	31.82	59.79

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Iron, Serum (ug-dL)	LDH (IU-L)	LDL Cholesterol (Calculated)	Lymphs (%)	Lymphs (Absolute) (x10e3-uL)	Magnesium, Serum (mg-dL)	MCH (pg)	MCHC (g-dL)	MCV (fL)
1	Mean	89.57	171.24	104.20	27.97	2.07	2.02	30.89	33.79	91.42
	Median	85.00	167.00	101.00	28.00	2.00	2.00	31.00	33.80	92.00
	Std. Deviation	34.74	34.15	35.01	7.91	0.74	0.16	1.93	0.68	5.15
2	Mean	93.70	172.01	107.44	28.68	2.05	2.03	30.98	33.89	91.48
	Median	89.00	167.00	104.50	29.00	2.00	2.00	31.00	33.90	91.00
	Std. Deviation	34.92	40.88	34.31	7.42	0.66	0.16	1.60	0.62	4.42
3	Mean	92.89	169.82	108.70	28.73	2.09	2.03	30.87	33.88	91.14
	Median	89.00	166.00	107.00	28.00	2.00	2.00	30.80	33.90	91.00
	Std. Deviation	33.42	32.47	34.90	7.34	0.68	0.15	1.55	0.60	4.22
4	Mean	94.53	171.14	110.44	29.02	2.06	2.04	30.88	33.90	91.14
	Median	89.00	168.00	108.00	29.00	2.00	2.00	30.90	33.90	91.00
	Std. Deviation	35.11	33.57	35.74	7.37	0.72	0.15	1.57	0.62	4.26
5	Mean	95.13	170.71	111.68	28.76	2.07	2.04	30.93	33.87	91.37
	Median	91.00	167.00	109.00	28.00	2.00	2.00	30.90	33.90	91.00
	Std. Deviation	34.23	31.94	36.36	7.49	0.87	0.15	1.53	0.61	4.20
6	Mean	93.78	171.08	109.04	28.53	2.01	2.04	30.97	33.91	91.37
	Median	89.00	167.00	107.00	28.00	1.90	2.00	31.00	33.90	91.00
	Std. Deviation	34.09	40.37	35.25	7.31	0.64	0.15	1.56	0.61	4.27
7	Mean	95.18	171.69	111.61	29.00	2.09	2.04	31.01	33.87	91.62
	Median	91.00	167.00	109.00	29.00	2.00	2.00	31.00	33.90	91.00
	Std. Deviation	33.39	37.46	35.42	7.60	2.48	0.15	1.52	0.59	4.21
8	Mean	94.63	171.00	111.46	28.54	2.04	2.05	31.00	33.83	91.68
	Median	90.00	167.00	109.00	28.00	1.90	2.00	31.00	33.80	91.00
	Std. Deviation	33.11	33.19	35.33	7.44	0.98	0.15	1.51	0.59	4.19
9	Mean	94.17	171.39	112.53	28.79	2.05	2.05	31.01	33.86	91.62
	Median	90.00	168.00	111.00	29.00	1.90	2.10	31.00	33.90	91.00
	Std. Deviation	33.41	30.88	34.65	7.49	1.23	0.15	1.59	0.61	4.35
10	Mean	95.55	172.42	114.25	28.64	2.01	2.05	31.07	33.90	91.71
	Median	90.00	169.00	112.00	29.00	1.90	2.10	31.00	33.90	92.00
	Std. Deviation	34.35	30.49	34.70	7.31	0.63	0.15	1.55	0.59	4.30
Total	Mean	94.15	171.27	110.61	28.70	2.05	2.04	30.97	33.87	91.47
	Median	90.00	167.00	108.00	28.00	2.00	2.00	31.00	33.90	91.00
	Std. Deviation	34.05	34.45	35.27	7.45	1.13	0.15	1.58	0.61	4.33

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Monocytes (%)	Monocytes(Absolute) (x10e3-uL)	Neutrophils (%)	Neutrophils (Absolute) (x10e3-uL)	Phosphorus, Serum (mg-dL)	Platelets (x10e3-uL)	Potassium, Serum (mmol-L)	Prolactin (ng-mL)
1	Mean	6.69	0.49	62.59	4.81	3.53	269.06	4.23	7.78
	Median	7.00	0.50	63.00	4.50	3.50	261.00	4.20	6.70
	Std. Deviation	2.18	0.19	8.98	1.78	0.69	71.48	0.38	5.70
2	Mean	6.77	0.48	61.88	4.60	3.50	259.31	4.19	9.09
	Median	7.00	0.50	62.00	4.30	3.50	253.00	4.20	6.90
	Std. Deviation	2.05	0.17	8.26	1.75	0.62	58.97	0.35	60.63
3	Mean	6.78	0.49	61.78	4.65	3.50	262.71	4.19	8.08
	Median	7.00	0.50	62.00	4.30	3.50	260.00	4.20	7.00
	Std. Deviation	2.21	0.18	8.42	1.72	0.60	61.03	0.31	15.63
4	Mean	6.80	0.48	61.49	4.53	3.49	261.90	4.19	8.41
	Median	7.00	0.50	62.00	4.20	3.50	258.00	4.20	6.90
	Std. Deviation	2.13	0.18	8.33	1.68	0.59	61.08	0.33	31.87
5	Mean	6.74	0.48	61.85	4.61	3.49	261.54	4.21	7.62
	Median	7.00	0.50	62.00	4.30	3.50	256.00	4.20	6.80
	Std. Deviation	2.15	0.18	8.39	1.93	0.59	59.36	0.32	3.96
6	Mean	6.83	0.48	61.93	4.54	3.52	258.40	4.21	7.80
	Median	7.00	0.50	62.00	4.20	3.50	253.00	4.20	7.00
	Std. Deviation	2.18	0.18	8.34	1.69	0.61	60.62	0.35	4.25
7	Mean	6.88	0.49	61.45	4.49	3.52	257.49	4.22	9.17
	Median	7.00	0.50	62.00	4.20	3.50	254.00	4.20	6.90
	Std. Deviation	2.11	0.17	8.53	1.62	0.60	57.01	0.35	59.21
8	Mean	6.84	0.48	61.80	4.52	3.50	258.35	4.24	8.52
	Median	7.00	0.50	62.00	4.20	3.50	254.00	4.20	7.00
	Std. Deviation	2.13	0.18	8.40	1.62	0.57	63.53	0.33	43.85
9	Mean	6.92	0.49	61.52	4.47	3.53	257.83	4.24	10.06
	Median	7.00	0.50	62.00	4.20	3.50	253.00	4.20	6.90
	Std. Deviation	2.08	0.18	8.47	1.66	0.57	59.20	0.34	98.23
10	Mean	6.92	0.49	61.63	4.51	3.55	258.31	4.26	8.44
	Median	7.00	0.50	62.00	4.20	3.50	253.00	4.20	6.80
	Std. Deviation	2.11	0.28	8.38	1.94	0.56	58.42	0.34	26.47
Total	Mean	6.83	0.49	61.75	4.56	3.51	260.05	4.22	8.53
	Median	7.00	0.50	62.00	4.30	3.50	255.00	4.20	6.90
	Std. Deviation	2.14	0.19	8.44	1.74	0.60	60.78	0.34	47.03

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Prostate-Specific Antigen, Serum (ng-mL)	Protein, Total, Serum (g-dL)	RDW (%)	Red Blood Cell Count (x10e6-uL)	Sodium, Serum (mmol-L)	T3 Uptake (%)	Testosterone, Serum (ng-dL)	Thyroxine (T4) (ng-dL)
1	Mean	1.03	7.24	14.10	4.92	140.62	32.17	368.81	7.41
	Median	0.70	7.20	13.80	4.97	141.00	32.00	350.00	7.40
	Std. Deviation	1.46	0.49	1.32	0.49	2.41	3.00	164.51	1.52
2	Mean	1.00	7.32	13.81	4.98	140.77	32.13	370.68	7.58
	Median	0.60	7.30	13.70	5.01	141.00	32.00	348.50	7.50
	Std. Deviation	1.95	0.42	0.96	0.42	2.18	3.00	161.00	1.53
3	Mean	0.91	7.36	13.75	5.01	140.91	32.07	369.03	7.56
	Median	0.60	7.30	13.60	5.03	141.00	32.00	350.00	7.50
	Std. Deviation	1.10	0.42	0.96	0.41	2.15	3.01	152.36	1.46
4	Mean	1.04	7.36	13.72	5.03	140.97	32.04	374.51	7.59
	Median	0.60	7.40	13.60	5.04	141.00	32.00	351.00	7.50
	Std. Deviation	5.10	0.41	0.96	0.41	2.12	3.09	161.57	1.56
5	Mean	1.04	7.38	13.70	5.02	140.92	32.08	367.07	7.56
	Median	0.70	7.40	13.60	5.05	141.00	32.00	351.00	7.55
	Std. Deviation	2.32	0.42	0.94	0.42	2.24	3.03	146.26	1.49
6	Mean	1.02	7.37	13.73	4.99	140.88	32.15	379.58	7.52
	Median	0.60	7.40	13.60	5.03	141.00	32.00	354.00	7.50
	Std. Deviation	2.21	0.43	1.05	0.43	2.24	3.09	194.50	1.51
7	Mean	1.31	7.38	13.68	5.01	140.93	32.13	368.96	7.54
	Median	0.60	7.40	13.60	5.03	141.00	32.00	345.00	7.50
	Std. Deviation	20.59	0.42	0.96	0.42	2.28	3.01	153.02	1.51
8	Mean	1.06	7.38	13.67	5.00	140.81	32.09	373.01	7.58
	Median	0.70	7.40	13.50	5.01	141.00	32.00	355.00	7.60
	Std. Deviation	2.16	0.42	0.86	0.40	2.22	2.94	156.51	1.44
9	Mean	1.07	7.38	13.70	5.00	140.88	31.90	371.30	7.63
	Median	0.70	7.40	13.60	5.02	141.00	32.00	352.00	7.60
	Std. Deviation	1.82	0.41	0.93	0.40	2.32	2.94	145.68	1.59
10	Mean	1.16	7.37	13.67	4.99	140.83	31.96	380.90	7.55
	Median	0.70	7.40	13.50	4.99	141.00	32.00	362.00	7.50
	Std. Deviation	2.21	0.41	0.96	0.41	2.28	2.98	152.22	1.49
Total	Mean	1.07	7.36	13.73	5.00	140.86	32.06	372.75	7.56
	Median	0.70	7.40	13.60	5.02	141.00	32.00	353.00	7.50
	Std. Deviation	7.15	0.42	0.98	0.42	2.24	3.01	158.83	1.51

Tabular (Numeric) Summary for Clinical Lab Values within Population C8/PFOA Deciles, Stratified by Age Gender

Men (Male, >=18YO)

Population Decile Group -- C8 (PFOA)		Triglycerides (mg-dL)	TSH (uIU-mL)	Uric Acid, Serum (mg-dL)	Vitamin B12 (pg-mL)	VLDL Cholesterol (Calculated) (mg-dL)	White Blood Cell Count (x10e3-uL)
1	Mean	227.79	2.24	6.17	498.27	34.27	7.5773
	Median	169.00	1.72	6.10	435.00	31.00	7.3000
	Std. Deviation	204.97	4.60	1.42	293.16	16.86	2.14875
2	Mean	204.45	2.17	6.18	475.49	34.08	7.3220
	Median	163.00	1.66	6.10	432.00	31.00	7.0000
	Std. Deviation	157.54	4.07	1.36	244.98	16.96	2.12782
3	Mean	210.52	2.01	6.32	469.84	33.69	7.4239
	Median	163.00	1.69	6.20	429.00	30.00	7.1000
	Std. Deviation	184.32	1.43	1.36	224.40	16.91	2.12238
4	Mean	211.81	2.14	6.37	468.99	34.65	7.2665
	Median	171.00	1.70	6.30	424.00	32.00	6.9000
	Std. Deviation	159.38	2.61	1.37	214.36	17.26	2.08487
5	Mean	214.90	2.18	6.40	473.37	34.70	7.3487
	Median	170.00	1.71	6.30	431.00	32.00	7.0000
	Std. Deviation	193.97	3.58	1.37	221.26	16.84	2.34641
6	Mean	213.40	2.21	6.31	480.26	34.32	7.2174
	Median	167.00	1.73	6.20	431.00	31.00	6.9000
	Std. Deviation	183.14	3.08	1.36	255.18	17.05	2.05305
7	Mean	218.79	2.31	6.37	467.49	35.41	7.2451
	Median	173.00	1.72	6.30	428.00	32.00	6.9000
	Std. Deviation	189.84	5.09	1.35	201.36	17.14	3.13498
8	Mean	214.44	2.17	6.39	476.98	35.54	7.2307
	Median	175.00	1.74	6.30	430.00	33.00	6.9000
	Std. Deviation	158.74	2.46	1.38	242.89	16.95	2.15060
9	Mean	216.17	2.13	6.36	484.29	35.62	7.1924
	Median	176.00	1.75	6.30	434.00	33.00	6.9000
	Std. Deviation	169.82	2.05	1.33	258.18	17.14	2.33300
10	Mean	222.71	2.23	6.41	480.92	35.95	7.2096
	Median	179.00	1.78	6.30	437.00	33.00	6.9000
	Std. Deviation	174.93	2.90	1.33	232.96	16.97	2.38990
Total	Mean	215.50	2.18	6.34	476.98	34.92	7.2863
	Median	171.00	1.73	6.30	431.00	32.00	6.9000
	Std. Deviation	177.49	3.27	1.36	237.83	17.03	2.32800