


## Serum C8 By Monocyte Levels In Participants <18 Years Of Age

C8 (ng-mL)

Monocytes	Gender	N	Mean
LOW	Female	175	64.9954
	Male	91	82.5253
	Total	266	70.9925
NORMAL	Female	4845	61.3746
	Male	5218	73.7573
	Total	10063	67.7955
HIGH	Female	24	81.3833
	Male	49	85.1347
	Total	73	83.9014
Total	Female	5044	61.5955
	Male	5358	74.0103
	Total	10402	67.9903

## Serum C8 By Monocyte Levels In Participants <18 Years Of Age



Low <4, Normal 4-13, High >13 (Units: %)

Source: Labcorp Sample Test

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.