


Serum C8 By T3 Uptake Levels In Participants ≥ 4 And < 7 Years Of Age

C8 (ng-mL)

T3 Uptake	Gender	N	Mean
LOW	Male	1	26.0000
	Total	1	26.0000
NORMAL	Female	557	73.3605
	Male	523	87.8493
	Total	1080	80.3769
HIGH	Female	5	68.9800
	Male	17	110.1882
	Total	22	100.8227
Total	Female	562	73.3215
	Male	541	88.4370
	Total	1103	80.7354

Serum C8 By T3 Uptake Levels In Participants ≥ 4 And < 7 Years Of Age



Females: Low < 24 , Normal 24-35, High > 36 (Units: %)

Males: Low < 24 , Normal 24-35, High > 34 (Units: %)

Source: <http://www.labcorp.com/datasets/labcorp/html/chapter/mono/ri009900.htm>

¹ Note, very small sample size.

The WVU website is a communication vehicle to depict associations or their absence for public use. These tables and graphs show many comparisons between lab tests and corresponding population serum PFOA (C8) levels. When it appears that there is a clear relationship between serum C8 and a clinical laboratory value, the meaning of that relationship still requires thought and discussion. Some of the relationships, while real, are weak and not likely to be important. Several are strong, interesting and potentially important, and none of them can be taken to show an etiologic (cause and effect) relationship or its absence without more work. When it comes to causes, scientists interpret these preliminary data with deference to additional work that needs to be done.

These data concerning associations are for public use. They will receive additional collaborative work in peer review format. We hope they prompt public curiosity and suggestions of interested scientists.