
## Self-Reported Diagnosis of Bone Cancer in Adults Stratified by Gender and Age

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Bone Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3011	3011	100.0%
Female	1	51-older	No	2736	2730	99.78%
Female	1	51-older	Yes	2736	6	0.22%
Female	2	30-50	No	3035	3035	100.0%
Female	2	51-older	No	2744	2740	99.85%
Female	2	51-older	Yes	2744	4	0.15%
Female	3	30-50	No	3014	3013	99.97%
Female	3	30-50	Yes	3014	1	0.03%
Female	3	51-older	No	2740	2737	99.89%
Female	3	51-older	Yes	2740	3	0.11%
Female	4	30-50	No	3021	3020	99.97%
Female	4	30-50	Yes	3021	1	0.03%
Female	4	51-older	No	2737	2735	99.93%
Female	4	51-older	Yes	2737	2	0.07%
Male	1	30-50	No	2601	2600	99.96%
Male	1	30-50	Yes	2601	1	0.04%
Male	1	51-older	No	2647	2645	99.92%
Male	1	51-older	Yes	2647	2	0.08%
Male	2	30-50	No	2619	2617	99.92%
Male	2	30-50	Yes	2619	2	0.08%
Male	2	51-older	No	2663	2654	99.66%
Male	2	51-older	Yes	2663	9	0.34%
Male	3	30-50	No	2603	2602	99.96%
Male	3	30-50	Yes	2603	1	0.04%
Male	3	51-older	No	2658	2658	100.0%
Male	4	30-50	No	2607	2606	99.96%
Male	4	30-50	Yes	2607	1	0.04%
Male	4	51-older	No	2657	2656	99.96%
Male	4	51-older	Yes	2657	1	0.04%

NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Bone Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Bone Cancer in Female Adults Stratified by Age



Self- Reported Diagnosis of Bone Cancer in Male Adults Stratified by Age

