
Self-Reported Diagnosis of Colon Cancer in Adults Stratified by Gender and Age

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Colon Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	3008	99.87%
Female	1	30-50	Yes	3012	4	0.13%
Female	1	51-older	No	2738	2702	98.69%
Female	1	51-older	Yes	2738	36	1.31%
Female	2	30-50	No	3034	3031	99.90%
Female	2	30-50	Yes	3034	3	0.10%
Female	2	51-older	No	2749	2722	99.02%
Female	2	51-older	Yes	2749	27	0.98%
Female	3	30-50	No	3015	3009	99.80%
Female	3	30-50	Yes	3015	6	0.20%
Female	3	51-older	No	2736	2706	98.90%
Female	3	51-older	Yes	2736	30	1.10%
Female	4	30-50	No	3021	3018	99.90%
Female	4	30-50	Yes	3021	3	0.10%
Female	4	51-older	No	2742	2717	99.09%
Female	4	51-older	Yes	2742	25	0.91%
Male	1	30-50	No	2601	2598	99.88%
Male	1	30-50	Yes	2601	3	0.12%
Male	1	51-older	No	2664	2618	98.27%
Male	1	51-older	Yes	2664	46	1.73%
Male	2	30-50	No	2621	2618	99.89%
Male	2	30-50	Yes	2621	3	0.11%
Male	2	51-older	No	2648	2625	99.13%
Male	2	51-older	Yes	2648	23	0.87%
Male	3	30-50	No	2603	2598	99.81%
Male	3	30-50	Yes	2603	5	0.19%
Male	3	51-older	No	2661	2638	99.14%
Male	3	51-older	Yes	2661	23	0.86%
Male	4	30-50	No	2608	2604	99.85%
Male	4	30-50	Yes	2608	4	0.15%
Male	4	51-older	No	2657	2627	98.87%
Male	4	51-older	Yes	2657	30	1.13%

NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Colon Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Colon Cancer in Female Adults Stratified by Age



Self- Reported Diagnosis of Colon Cancer in Male Adults Stratified by Age

