
Self-Reported Diagnosis of Kidney Cancer in Adults Stratified by Gender and Age

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Kidney Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	3011	99.97%
Female	1	30-50	Yes	3012	1	0.03%
Female	1	51-older	No	2737	2731	99.78%
Female	1	51-older	Yes	2737	6	0.22%
Female	2	30-50	No	3036	3035	99.97%
Female	2	30-50	Yes	3036	1	0.03%
Female	2	51-older	No	2749	2744	99.82%
Female	2	51-older	Yes	2749	5	0.18%
Female	3	30-50	No	3015	3015	100.0%
Female	3	51-older	No	2737	2724	99.53%
Female	3	51-older	Yes	2737	13	0.47%
Female	4	30-50	No	3021	3021	100.0%
Female	4	51-older	No	2745	2734	99.60%
Female	4	51-older	Yes	2745	11	0.40%
Male	1	30-50	No	2600	2599	99.96%
Male	1	30-50	Yes	2600	1	0.04%
Male	1	51-older	No	2665	2654	99.59%
Male	1	51-older	Yes	2665	11	0.41%
Male	2	30-50	No	2621	2620	99.96%
Male	2	30-50	Yes	2621	1	0.04%
Male	2	51-older	No	2647	2626	99.21%
Male	2	51-older	Yes	2647	21	0.79%
Male	3	30-50	No	2603	2598	99.81%
Male	3	30-50	Yes	2603	5	0.19%
Male	3	51-older	No	2662	2643	99.29%
Male	3	51-older	Yes	2662	19	0.71%
Male	4	30-50	No	2608	2606	99.92%
Male	4	30-50	Yes	2608	2	0.08%
Male	4	51-older	No	2658	2651	99.74%
Male	4	51-older	Yes	2658	7	0.26%

NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Kidney Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Kidney Cancer in Female Adults Stratified by Age



Self- Reported Diagnosis of Kidney Cancer in Male Adults Stratified by Age

