
Self-Reported Diagnosis of Mouth Cancer in Adults Stratified by Gender and Age

Gender	Quartile of C8 PFOA	AGE GROUP	Diagnosis of Mouth Cancer	Population in Quartile	Num of Reported	Percent in Quartile
Female	1	30-50	No	3012	3012	100.0%
Female	1	51-older	No	2738	2734	99.85%
Female	1	51-older	Yes	2738	4	0.15%
Female	2	30-50	No	3036	3035	99.97%
Female	2	30-50	Yes	3036	1	0.03%
Female	2	51-older	No	2749	2747	99.93%
Female	2	51-older	Yes	2749	2	0.07%
Female	3	30-50	No	3015	3014	99.97%
Female	3	30-50	Yes	3015	1	0.03%
Female	3	51-older	No	2737	2735	99.93%
Female	3	51-older	Yes	2737	2	0.07%
Female	4	30-50	No	3022	3019	99.90%
Female	4	30-50	Yes	3022	3	0.10%
Female	4	51-older	No	2744	2740	99.85%
Female	4	51-older	Yes	2744	4	0.15%
Male	1	30-50	No	2601	2599	99.92%
Male	1	30-50	Yes	2601	2	0.08%
Male	1	51-older	No	2667	2663	99.85%
Male	1	51-older	Yes	2667	4	0.15%
Male	2	30-50	No	2620	2619	99.96%
Male	2	30-50	Yes	2620	1	0.04%
Male	2	51-older	No	2649	2645	99.85%
Male	2	51-older	Yes	2649	4	0.15%
Male	3	30-50	No	2603	2600	99.88%
Male	3	30-50	Yes	2603	3	0.12%
Male	3	51-older	No	2661	2656	99.81%
Male	3	51-older	Yes	2661	5	0.19%
Male	4	30-50	No	2608	2607	99.96%
Male	4	30-50	Yes	2608	1	0.04%
Male	4	51-older	No	2659	2658	99.96%
Male	4	51-older	Yes	2659	1	0.04%

NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Mouth Cancer and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Mouth Cancer in Female Adults Stratified by Age



Self- Reported Diagnosis of Mouth Cancer in Male Adults Stratified by Age

