## Self-Reported Diagnosis of Enlarged Prostate in Male Stratified and Age

| Gender | Quartile of C8 PFOA | AGE<br>GROUP | Diagnosis of<br>Enlarged Prostate | Population<br>in<br>Quartile | Num of<br>Reported | Percent<br>in<br>Quartile |
|--------|---------------------|--------------|-----------------------------------|------------------------------|--------------------|---------------------------|
| Male   | 1                   | 30-50        | No                                | 2601                         | 2590               | 99.58%                    |
| Male   | 1                   | 30-50        | Yes                               | 2601                         | 11                 | 0.42%                     |
| Male   | 1                   | 51-older     | No                                | 2668                         | 2440               | 91.45%                    |
| Male   | 1                   | 51-older     | Yes                               | 2668                         | 228                | 8.55%                     |
| Male   | 2                   | 30-50        | No                                | 2621                         | 2611               | 99.62%                    |
| Male   | 2                   | 30-50        | Yes                               | 2621                         | 10                 | 0.38%                     |
| Male   | 2                   | 51-older     | No                                | 2649                         | 2440               | 92.11%                    |
| Male   | 2                   | 51-older     | Yes                               | 2649                         | 209                | 7.89%                     |
| Male   | 3                   | 30-50        | No                                | 2603                         | 2594               | 99.65%                    |
| Male   | 3                   | 30-50        | Yes                               | 2603                         | 9                  | 0.35%                     |
| Male   | 3                   | 51-older     | No                                | 2662                         | 2438               | 91.59%                    |
| Male   | 3                   | 51-older     | Yes                               | 2662                         | 224                | 8.41%                     |
| Male   | 4                   | 30-50        | No                                | 2608                         | 2599               | 99.65%                    |
| Male   | 4                   | 30-50        | Yes                               | 2608                         | 9                  | 0.35%                     |
| Male   | 4                   | 51-older     | No                                | 2659                         | 2444               | 91.91%                    |
| Male   | 4                   | 51-older     | Yes                               | 2659                         | 215                | 8.09%                     |

NOTE:All results reported here are based on information as reported by participants and were not independently verified. The association between self-reported Enlarged Prostate and C8/PFOA is unadjusted for any potential confounders or covariates. Caution in interpretation is warranted.

Self- Reported Diagnosis of Enlarged Prostate in Male Adults Stratified by Age

