SELF-REPORTED DIAGNOSIS OF STOMACH CANCER STRATIFIED BY GENDER AND AGE-GROUP

				Sto	Stomach Cancer		
Gender				NO CANCER/ NO RESPONSE	PRIMARY	SECONDARY	Total
Female	Age Group	0-10	Count	2690	0	0	2690
			Percent (%)	100.0%	.0%	.0%	100.0%
		11-20	Count	4769	0	1	4770
			Percent (%)	100.0%	.0%	.0%	100.0%
		21-30	Count	5408	0	0	5408
			Percent (%)	100.0%	.0%	.0%	100.0%
		31-40	Count	5789	1	1	5791
			Percent (%)	100.0%	.0%	.0%	100.0%
		41-50	Count	6409	3	1	6413
			Percent (%)	99.9%	.0%	.0%	100.0%
		51-60	Count	5248	4	5	5257
			Percent (%)	99.8%	.1%	.1%	100.0%
		61-70	Count	3326	2	1	3329
			Percent (%)	99.9%	.1%	.0%	100.0%
		71-80	Count	1569	2	0	1571
			Percent (%)	99.9%	.1%	.0%	100.0%
		>80	Count	557	1	1	559
			Percent (%)	99.6%	.2%	.2%	100.0%
	Total		Count	35765	13	10	35788
			Percent (%)	99.9%	.0%	.0%	100.0%
Male	Age Group	0-10	Count	2703	0	0	2703
			Percent (%)	100.0%	.0%	.0%	100.0%
		11-20	Count	4961	0	0	4961
			Percent (%)	100.0%	.0%	.0%	100.0%
		21-30	Count	4598	1	0	4599
			Percent (%)	100.0%	.0%	.0%	100.0%
		31-40	Count	4878	2	0	4880
			Percent (%)	100.0%	.0%	.0%	100.0%
		41-50	Count	5673	1	0	5674
			Percent (%)	100.0%	.0%	.0%	100.0%
		51-60	Count	5068	4	1	5073
			Percent (%)	99.9%	.1%	.0%	100.0%
		61-70	Count	3402	2	1	3405
			Percent (%)	99.9%	.1%	.0%	100.0%
		71-80	Count	1596	1	0	1597
			Percent (%)	99.9%	.1%	.0%	100.0%
		>80	Count	347	3	0	350
			Percent (%)	99.1%	.9%	.0%	100.0%
	Total		Count	33226	14	2	33242
			Percent (%)	100.0%	.0%	.0%	100.0%