Self-Reported Clinical Symptoms: Indigestion


All Age and Gender Groups

<u>NOTE:</u> Symptoms were self reported by participants and were not independently verified with medical records or by a health care professional. Limited information about the characteristics of the self-reported symptoms, such as severity, duration, or history, was collected. Inferences about population health or associations based on these self-reported symptoms should be made cautiously.


SELF-REPORTED CLINICAL SYMPTOMS BY GENDER AND AGE GROUP: INDIGESTION

| Gender | | | Indigestion | | | | Total | |
|--------|-----------|-------|-------------|------------|-----------|--------|-------|--------|
| | | | | Frequently | Sometimes | Rarely | Never | • |
| Female | Age Group | 0-10 | Count | 20 | 104 | 239 | 2327 | 2690 |
| 1 | | | Percent (%) | .7% | 3.9% | 8.9% | 86.5% | 100.0% |
| | | 11-20 | Count | 136 | 610 | 992 | 3032 | 4770 |
| | | | Percent (%) | 2.9% | 12.8% | 20.8% | 63.6% | 100.0% |
| | | 21-30 | Count | 487 | 1391 | 1532 | 1998 | 5408 |
| | | | Percent (%) | 9.0% | 25.7% | 28.3% | 36.9% | 100.0% |
| | | 31-40 | Count | 652 | 1792 | 1687 | 1660 | 5791 |
| | | | Percent (%) | 11.3% | 30.9% | 29.1% | 28.7% | 100.0% |
| | | 41-50 | Count | 820 | 2160 | 1843 | 1590 | 6413 |
| | | | Percent (%) | 12.8% | 33.7% | 28.7% | 24.8% | 100.0% |
| | | 51-60 | Count | 640 | 1923 | 1491 | 1203 | 5257 |
| | | | Percent (%) | 12.2% | 36.6% | 28.4% | 22.9% | 100.0% |
| | | 61-70 | Count | 376 | 1130 | 907 | 916 | 3329 |
| | | | Percent (%) | 11.3% | 33.9% | 27.2% | 27.5% | 100.0% |
| | | 71-80 | Count | 152 | 459 | 442 | 518 | 1571 |
| | | | Percent (%) | 9.7% | 29.2% | 28.1% | 33.0% | 100.0% |
| | | >80 | Count | 36 | 147 | 138 | 238 | 559 |
| | | | Percent (%) | 6.4% | 26.3% | 24.7% | 42.6% | 100.0% |
| | Total | | Count | 3319 | 9716 | 9271 | 13482 | 35788 |
| | | | Percent (%) | 9.3% | 27.1% | 25.9% | 37.7% | 100.0% |
| Male | Age Group | 0-10 | Count | 16 | 90 | 244 | 2353 | 2703 |
| | | | Percent (%) | .6% | 3.3% | 9.0% | 87.1% | 100.0% |
| | | 11-20 | Count | 91 | 550 | 1046 | 3274 | 4961 |
| | | | Percent (%) | 1.8% | 11.1% | 21.1% | 66.0% | 100.0% |
| | | 21-30 | Count | 339 | 1052 | 1208 | 2000 | 4599 |
| | | | Percent (%) | 7.4% | 22.9% | 26.3% | 43.5% | 100.0% |
| | | 31-40 | Count | 461 | 1334 | 1455 | 1630 | 4880 |
| | | | Percent (%) | 9.4% | 27.3% | 29.8% | 33.4% | 100.0% |
| | | 41-50 | Count | 547 | 1775 | 1654 | 1698 | 5674 |
| | | | Percent (%) | 9.6% | 31.3% | 29.2% | 29.9% | 100.0% |
| | | 51-60 | Count | 427 | 1605 | 1545 | 1496 | 5073 |
| | | | Percent (%) | 8.4% | 31.6% | 30.5% | 29.5% | 100.0% |
| | | 61-70 | Count | 252 | 1021 | 1051 | 1081 | 3405 |
| | | | Percent (%) | 7.4% | 30.0% | 30.9% | 31.7% | 100.0% |
| | | 71-80 | Count | 88 | 407 | 454 | 648 | 1597 |
| | | | Percent (%) | 5.5% | 25.5% | 28.4% | 40.6% | 100.0% |
| | | >80 | Count | 25 | 80 | 101 | 144 | 350 |
| | | | Percent (%) | 7.1% | 22.9% | 28.9% | 41.1% | 100.0% |
| | Total | | Count | 2246 | 7914 | 8758 | 14324 | 33242 |
| | | | Percent (%) | 6.8% | 23.8% | 26.3% | 43.1% | 100.0% |

INDIGESTION IN FEMALES BY AGE GROUP



INDIGESTION IN MALES BY AGE GROUP



INDIGESTION BY GENDER AND AGE GROUP

