

[2013]

- **Goodman RL**, Hileman SM, Nestor CC, Porter KL, Connors JM, Hardy SL, Millar RP, Cernea M, Coolen LM, Lehman MN. [Kisspeptin, neurokinin B, and dynorphin act in the arcuate nucleus to control activity of the GnRH pulse generator in ewes.](#) *Endocrinology* (2013 Nov) 154(11): 4259-69.
- Nestor CC, Coolen LM, Nesselrod GL, Valent M, Connors JM, Hileman SM, Cheng G, Lehman MN, **Goodman RL**. [Evidence that orphanin FQ mediates progesterone negative feedback in the ewe.](#) *Endocrinology* (2013 Nov) 154(11): 4249-58.
- **Goodman RL**, Coolen LM, Lehman MN. [A Role for Neurokinin B in Pulsatile GnRH Secretion in the Ewe.](#) *Neuroendocrinology* (2013 Oct). Epub ahead of print.
- Lehman MN, Hileman SM, **Goodman RL**. [Neuroanatomy of the kisspeptin signaling system in mammals: comparative and developmental aspects.](#) *Adv Exp Med Biol* (2013) 784:27-62. doi: 10.1007/978-1-4614-6199-9_3.

[2012]

- **Goodman RL**, Maltby MJ, Millar RP, Hileman SM, Nestor CC, Whited B, Tseng AS, Coolen LM, Lehman MN. [Evidence that dopamine acts via kisspeptin to hold GnRH pulse frequency in check in anestrus ewes.](#) *Endocrinology* (2012 Dec) 153(12): 5918-27. doi: 10.1210/en.2012-1611.
- Merkle CM, Porter KL, Coolen LM, Hileman SM, Billings HJ, Drews S, **Goodman RL**, Lehman MN. [KNDy \(kisspeptin/neurokinin B/dynorphin\) neurons are activated during both pulsatile and surge secretion of LH in the ewe.](#) *Endocrinology* (2012 Nov) 153(11): 5406-14. doi: 10.1210/en.2012-1357.
- **Goodman RL**, Lehman MN. [Kisspeptin neurons from mice to men: similarities and differences.](#) *Endocrinology* (2012 Nov) 153(11): 5105-18. doi: 10.1210/en.2012-1550.
- Nestor CC, Briscoe AM, Davis SM, Valent M, **Goodman RL**, Hileman SM. [Evidence of a role for kisspeptin and neurokinin B in puberty of female sheep.](#) *Endocrinology*, (2012 Jun) 153(6):2756-65.

[2011]

- Hileman SM, McManus CJ, **Goodman RL**, Jansen HT. [Neurons of the lateral preoptic area/rostral anterior hypothalamic area are required for photoperiodic inhibition of estrous cyclicity in sheep.](#) *Biol Reprod*, (2011 Nov) 85(5):1057-65.
- **Goodman RL**, Holaskova I, Nestor CC, Connors JM, Billings HJ, Valent M, Lehman MN, Hileman SM. [Evidence that the arcuate nucleus is an important site of progesterone negative feedback in the ewe.](#) *Endocrinology*, (2011 Sep) 152(9):3451-60.

[2010]

- Lehman MN, Merkley CM, Coolen LM, **Goodman RL**. [Anatomy of the kisspeptin neural network in mammals](#). *Brain Res.* (2010).
- Billings HJ, Connors JM, Altman SN, Hileman SM, Holaskova I, Lehman MN, McManus CJ, Nestor CC, Jacobs BH, **Goodman RL**. [Neurokinin B acts via the neurokinin-3 receptor in the retrochiasmatic area to stimulate luteinizing hormone secretion in sheep](#). *Endocrinology* (2010), 151(8):3836-46.
- Lehman MN, Coolen LM, **Goodman RL**. [Minireview: kisspeptin/neurokinin B/dynorphin \(KNDy\) cells of the arcuate nucleus: a central node in the control of gonadotropin-releasing hormone secretion](#). *Endocrinology* (2010), 151(8):3479-89.

- **Goodman RL**, Jansen HT, Billings HJ, Coolen LM, Lehman MN. [Neural systems mediating seasonal breeding in the ewe](#). *J Neuroendocrinol* (2010), 22(7):674-81.
- Dupré SM, Miedzinska K, Duval CV, Yu L, **Goodman RL**, Lincoln GA, Davis JR, McNeilly AS, Burt DD, Loudon AS. [Identification of Eya3 and TAC1 as long-day signals in the sheep pituitary](#). *Curr Biol* (2010), 11;20(9):829-35.
- Amstalden M, Coolen LM, Hemmerle AM, Billings HJ, Connors JM, **Goodman RL**, Lehman MN. [Neurokinin 3 receptor immunoreactivity in the septal region, preoptic area and hypothalamus of the female sheep: colocalisation in neurokinin B cells of the arcuate nucleus but not in gonadotrophin-releasing hormone neurones](#). *J Neuroendocrinol* (2010), 22(1):1-12.
- Cheng G, Coolen LM, Padmanabhan V, **Goodman RL**, Lehman MN. [The kisspeptin/neurokinin B/dynorphin \(KNDy\) cell population of the arcuate nucleus: sex differences and effects of prenatal testosterone in sheep](#). *Endocrinology* (2010), 151(1):301-11.

[2008]

- Bogusz AL, Hardy SL, Lehman MN, Connors JM, **Hileman SM**, Sliwowska JH, Billings HJ, McManus CJ, Valent M, Singh SR, Nestor CC, Coolen LM, **Goodman RL**. [Evidence that gamma-aminobutyric acid is part of the neural circuit mediating estradiol negative feedback in anestrus ewes](#). *Endocrinology* (2008), 149(6):2762-2772.

- Smith JT, Coolen LM, Kriegsfeld LJ, Sari IP, Jaafarzadehshirazi MR, Maltby M, Bateman K, **Goodman RL**, Tilbrook AJ, Ubuka T, Bentley GE, Clarke IJ, Lehman MN. [Variation in kisspeptin and gonadotropin-inhibitory hormone expression and terminal connections to GnRH neurons in the brain: a novel medium for seasonal breeding in the sheep](#). *Endocrinology* (2008, in press).

[2007]

- Foradori CD, Amstalden M, Coolen LM, Singh SR, McManus CJ, Handa RJ, **Goodman** RL, Lehman MN. [Orphanin FQ: evidence for a role in the control of the reproductive neuroendocrine system.](#) *Endocrinology* (2007), 148(10):4993-5001.
- **Goodman** RL, Lehman MN, Smith JT, Coolen LM, de Oliveira CV, Jafarzadehshirazi MR, Pereira A, Iqbal J, Caraty A, Ciofi P, Clarke IJ. [Kisspeptin neurons in the arcuate nucleus of the ewe express both dynorphin A and neurokinin B.](#) *Endocrinology* (2007), 148(12):5752-5760.
- McManus CJ, Valent M, Hardy SL, **Goodman** RL. [Does nitric oxide act in the ventromedial preoptic area to mediate oestrogen negative feedback in the seasonally anoestrous ewe?](#) *Reproduction* (2007), 134(1):137-415.